

**Bid Abstract
ITB 25-27 Bid Tabulation
SNS Large Kitchen Equipment**

ITEM NO.	Item Description	Unit	Boelter	Culinary Depot (Chef's Depot)	Douglas Equipment (Douglas Food Stores Inc)	Owens Equipment Company, Inc.	Sam Tell and Son Inc.	Southeastern Paper Group, LLC	Stafford Smith, Inc. (Stafford Smith)	Superior Equipment & Supply, Co.
1	Freezer, Reach-In 2 Door, Beverage Air Model HF2-1S Horizon Series Freezer, reach-in, two-section, 49 cu. ft., (1) right-hand hinged solid door with locks, (1) left-hand hinged solid door with locks, (6) adjustable shelves, electronic control, digital display, expansion valve technology, automatic defrost, top-mounted self-contained refrigeration, stainless steel front, gray painted sides, aluminum interior, 6" legs, Environmentally-safe R-404A refrigerant ¾ hp, UL, cUL, UL-EPH, Made in USA, ENERGY STAR, 115v/60/1-ph, 12.0 amps, standard, Left door hinged left, right door hinged right, standard, 1 ea. 403-887D-01 Large Flat Shelf, for H series 2-3 door units	Each	\$7,359.81	\$7,100.00	\$6,876.57	\$7,627.00	\$6,735.47	\$6,774.45	\$7,677.00	\$6,463.98
2	REACH-IN FREEZER True Mfg. - General Foodservice Model No. STA2F-2S-HC SPEC SERIES® Freezer , reach-in, two-section, -10°F, (2) stainless steel doors with locks, cam-lift hinges, digital temperature control, (6) chrome shelves, LED interior lights, stainless steel front & sides, aluminum interior, 5" castors, R290 Hydrocarbon refrigerant, 1-1/4 HP, 115v/60/1-ph, 9.4 amps, NEMA 5-15P, cULus, UL EPH Classified, Made in USA, ENERGY STAR® NOTE: Please specify door hinging when ordering. If not specified, doors are NOT field-reversible. If OPTIONAL FIELD-REVERSIBLE doors are required, it MUST BE ORDERED (additional charge applies). PLEASE NOTE: TRUE model STA2F features SIX (6) CHROME shelves as standard. Please verify/specify placement of all shelving requirements before/when ordering. 1 st 5" castors (set of 4), standard	Each	\$9,031.35	\$9,750.00	\$8,574.56	\$9,766.00	\$8,946.17	\$9,565.38	\$10,117.00	\$9,497.48
3	Freezer, Reach-In, Beverage Air Model HF1-1S Horizon Series Freezer, reach-in, one-section, 24 cu. ft., (1) right hinged solid door with locks, (3) adjustable shelves, electronic control, digital display, expansion valve technology, automatic defrost, top-mounted self-contained refrigeration, stainless steel front, gray painted sides, aluminum interior, 6" legs Environmentally-safe R-404A refrigerant ½ hp, UL, cUL, UL-UL-EPH, Made in USA, ENERGY STAR , 115v/60/1-ph, 7.1 amps, standard, Door hinged on right, standard, 1 ea. 403-887D-01 Large Flat Shelf, for H series 1 door units	Each	\$5,259.97	\$4,950.00	\$5,043.19	\$5,406.00	\$4,807.75	\$4,835.57	\$5,623.00	\$4,783.43
4	Reach-In Freezer True Mfg. - General Foodservice Model No. STA1F-1S-HC SPEC SERIES® Freezer , reach-in, -10°F, one-section, (1) stainless steel door with lock, cam-lift hinges, digital temperature control, (3) chrome shelves, LED interior lights, stainless steel front & sides, aluminum interior, 5" castors, R290 Hydrocarbon refrigerant, 1/2 HP, 115v/60/1-ph, 6.0 amps, NEMA 5-15P, cULus, UL EPH Classified, Made in USA NOTE: Please specify door hinging when ordering. If not specified, doors are NOT field-reversible. If OPTIONAL FIELD-REVERSIBLE doors are required, it MUST BE ORDERED (additional charge applies). PLEASE NOTE: TRUE model STA1F features THREE (3) CHROME shelves as standard. Please verify/specify placement of all shelving requirements before/when ordering. 1 st 5" castors (set of 4), standard	Each	\$6,343.62	\$6,750.00	\$6,181.81	\$6,839.00	\$6,264.80	\$7,157.76	\$7,240.00	\$6,828.34
5	Refrigerator, Reach-In 2 Door, Beverage Air Model HR2-1S Horizon Series Refrigerator, reach-in, two-section, 49 cu.ft., (1) right-hand hinged solid door, (1) left-hand hinged solid door, door locks, (6) shelves, electronic control, digital display, top-mounted self-contained refrigeration, stainless steel front, gray painted sides, aluminum interior, 6" legs, Environmentally-safe R-134a refrigerant, 1/3 hp, UL, cUL, UL-EPH, Made in USA, ENERGY STAR, 115v/60/1-ph, 8.4 amps, standard, Left door hinged left, right door hinged right, standard, 1 ea. 403-887D-01 Large Flat Shelf, for H series 2-3 door units	Each	\$5,753.47	\$5,675.00	\$5,550.57	\$5,927.00	\$5,198.89	\$5,228.98	\$6,119.00	\$5,124.42

6	Refrigerator, Reach-In, Beverage Air Model HR1-1S Horizon Series Refrigerator, reach-in, one-section, 24 cu.ft. (1) right hinged solid door with locks, (3) shelves, electronic control, digital display, top-mounted self-contained refrigeration, stainless steel front, gray painted sides, aluminum interior, 6" legs, Environmentally-safe R-134a refrigerant, 1/3 hp, UL, cUL, UL-EPH, Made in USA, ENERGY STAR, 115v/60/1-ph, 5.8 amps, standard, Door (s) hinged on right, standard, 1 ea. 403-889D-01 Large Flat Shelf, for H series 1 door units	Each	\$4,314.04	\$4,150.00	\$4,262.33	\$4,405.00	\$3,902.89	\$3,925.48	\$4,706.00	\$3,994.58
7	Refrigerator, Pass-Thru, One Door, Beverage Air Model No. PRD1-1AS Prestige Plus Refrigerator, Pass-Thru, one-section, 24.0 cu. ft., top-mounted, self-contained refrigeration, (2) solid doors, (3) adjustable shelves, stainless steel exterior and interior, standard depth cabinet, full-height cabinet, full-height doors, exterior digital thermometer, 6" legs, Environmentally-safe R-134a refrigerant, 1/4 HP, UL, cUL, UL-EPH, MADE IN USA, 115v/60/1-ph, 5.7 amps, standard, Right hand hinge door (s), standard 6" adjustable legs, standard	Each	\$7,994.53	\$6,600.00	\$7,300.53	\$8,302.00	\$6,699.89	\$6,738.66	\$7,541.00	\$6,432.95
8	PASS-THRU REFRIGERATOR True Mfg. - General Foodservice Model No. STA1RPT-1S-1S-HC SPEC SERIES® Refrigerator , pass-thru, one-section, (1) stainless steel door front & rear with locks, cam-lift hinges, digital temperature control, (3) chrome shelves, LED interior lights, stainless steel front & sides, aluminum interior, 5" castors, R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 3.8 amps, NEMA 5-15P, cULus, UL EPH Classified, Made in USA, ENERGY STAR® 1 ea Thermometer side: Door hinged on right standard 1 ea Rear: Door hinged on right standard NOTE: Please specify door hinging when ordering (L/L or R/R). DOORS ARE NOT FIELD-REVERSIBLE. [Please indicate "front" (temp control) and "rear" when ordering door configuration.] Fieldreversible Door option is not available/offered for Pass-thru models. PLEASE NOTE: TRUE model STA1RPT features THREE (3) CHROME shelves as standard. Please verify/specify placement of all shelving requirements before/when ordering. 1 st Legs, 6"	Each	\$7,149.64	\$7,500.00	\$6,904.55	\$7,762.00	\$7,110.05	\$8,123.49	\$8,115.00	\$7,669.73
9	Refrigerator, Pass-Thru, Two Door, Beverage Air Model No. PRD2-1AS Prestige Plus Refrigerator, Pass-Thru, two-section, 49.7.0 cu. ft., top-mounted, self-contained refrigeration, (4) solid doors, (6) adjustable shelves, stainless steel exterior and interior, standard depth cabinet, full-height cabinet, full-height doors, exterior digital thermometer, 6" legs, Environmentally-safe R-134a refrigerant, 1/3 HP, UL, cUL, UL-EPH, MADE IN USA, 115v/60/1-ph, 9.4 amps, standard, Left door (s) hinged left, right door (s) hinged right, standard, 61C08-031A Tray Slide Kit #3, universal, stainless steel, includes (13) pair of hotel pan slides and standard pilasters, (1) set of four, 6" adjustable legs, standard	Each	\$12,830.32	\$9,900.04	\$11,392.44	\$13,412.00	\$8,768.43	\$8,819.18	\$9,737.00	\$8,236.28
10	Pass-Thru Refrigerator True Mfg. - General Foodservice Model No. STA2RPT-2S-2S-HC SPEC SERIES® Refrigerator , pass-thru, two-section, (2) stainless steel doors front & rear with locks, cam-lift hinges, digital temperature control, (6) chrome shelves, LED interior lights, stainless steel front & sides, aluminum interior, 5" castors, R290 Hydrocarbon refrigerant, 1/2 HP, 115v/60/1-ph, 9.1 amps, NEMA 5-15P, cULus, UL EPH Classified, Made in USA 1 ea Thermometer side: Left door hinged on left, right door hinged on right, standard 1 ea Rear: Left door hinged on left, right door hinged on right, standard NOTE: Please specify door hinging when ordering (L/L or R/R). DOORS ARE NOT FIELD-REVERSIBLE. [Please indicate "front" (temp control) and "rear" when ordering door configuration.] Fieldreversible Door option is not available/offered for Pass-thru models. PLEASE NOTE: TRUE model STA2RPT features SIX (6) CHROME shelves as standard. Please verify/specify placement of all shelving requirements before/when ordering. 1 st Legs, 6"	Each	\$10,363.51	\$10,950.00	\$9,749.29	\$11,266.00	\$10,320.02	\$11,791.00	\$11,540.00	\$10,865.06
11	Heated Cabinet, Pass-Thru, Beverage Air Model No. PH1-1S-PT Warming Cabinet, Pass-Thru, one-section, 23.7 cu. ft., (2) full height doors, (3) epoxy coated wire shelves, exterior dial thermometer, top mounted heating system, stainless steel front, stainless steel door and door liner, aluminum interior and exterior, 6" black legs, UL, NSF, MADE IN USA, 208-240v/60/1-ph, 6.3 amps, standard, 61C08-031A Tray Slide Kit #3, universal, stainless steel, includes (13) pair of hotel pan slides and standard pilasters, (1) set of four 6" adjustable legs, standard	Each	\$7,253.19	\$6,750.03	\$6,688.59	\$7,513.00	\$5,640.22	\$5,672.85	\$6,667.00	\$5,509.16

12	<p>Heated Cabinet, Cres Cor Insulated Pass –Through Hot Holding Cabinet H-138-PS-1834D Solid state electronic controlled time and temperature, Cabinet 22ga. stainless steel; stainless steel internal frame, No-tip .100 aluminum channel slides for (32) 18" x 26" pans on 1-1/2" centers, Field reversible Dutch doors, 22ga. stainless steel, Fiberglass insulation in sides 2"; doors, top, base 1-1/2", Interior coved corners, One piece insulated base, .125 aluminum, Heavy duty 5" swivel modulus casters, Delrin bearings, Load capacity 250 lbs. each, Dimension: 28 3/4" W x 34 5/8" D x 73 1/2" H (including casters), Leg kit; part number 1206-067-K, 2000 Watt, 120 Volts power unit, 60 Hz., single phase, 16 Amps.</p>	Each	\$6,725.15	\$7,999.00	\$7,114.62	\$6,884.00	\$6,382.15	\$7,265.61	\$7,029.00	\$7,098.01
13	<p>Heated Cabinet, Mobile Cres Cor Model H-137-WSUA-12D15A Cabinet, Mobile Heated, with AquaTemp humidity cabinet, insulated, top-mount Heater assembly, recessed push/pull handles, magnetic latch, (12) sets of stainless steel wire universal angle slides on 4 1/2" adjustable 1 1/2" centers, LED digital display, field reversible Dutch doors, (4) heavy duty 5" swivel casters (2) braked, anti-microbial latches, stainless steel construction, NSF, CSA, ENERGY STAR, 120v/60/1-ph, 15 amp, standard, Right-hand door swing, standard</p>	Each	\$6,092.81	\$6,825.00	\$6,749.11	\$6,463.00	\$5,991.05	\$6,616.42	\$6,644.00	\$6,699.33
14	<p>Merchandiser, Glass Door True MODEL TAC-30-LD Vertical air curtain refrigerated merchandiser 115w/60Hz/1 phase/12.0 Amps/1/2 HP, 6.5 ft. power cord, NEMA 5-20P plug, Stainless steel base material, Four (4) adjustable, heavy duty PVC coated wire shelves, Dimension: 30"W x 30 1/2"D x 80 5/8"H, NSF approve, UL Listed, Energy Star</p>	Each	\$6,865.16	\$7,350.00	\$6,647.86	\$7,434.00	\$6,809.84	\$7,780.49	\$7,804.00	\$7,370.89
15	<p>Merchandiser, Structural Concepts DOS4837R Impulse 50 1/8" Drop-In Refrigerated Air Curtain Counter top Merchandiser Breeze™ w/EnergyWise s/c refrigeration (rear access/ventilation) Black interior and exterior trim, Integrated average temperature of 40°F or less, 120v/60Hz/1 phase/16 Amps/6 ft. power cord, NEMA 5-20P plug, Four (4) adjustable clear glass shelves, Dimension: 50 1/8"W x 28 5/8"D x 36 3/4"H, NSF approve, UL Listed, Energy Star</p>	Each	\$13,589.80	\$13,150.00	\$13,806.03	\$13,793.00	NO BID	no bid	\$14,124.00	N/A
16	<p>Merchandiser, Structural Concepts DOS3637R Impulse 38 1/8" Drop-In Refrigerated Air Curtain Counter top Merchandiser Breeze™ w/EnergyWise s/c refrigeration (rear access/ventilation), Black interior and exterior trim, Integrated average temperature of 40°F or less, 120v/60Hz/1 phase/16 Amps, 6 ft. power cord, NEMA 5-20P plug, Four (3) adjustable clear glass shelves, Dimension: 38 1/8"W x 28 5/8"D x 36 3/4"H, NSF approve, UL Listed, Energy Star</p>	Each	\$12,283.64	\$11,650.00	\$12,522.50	\$12,494.00	NO BID	no bid	\$12,864.00	N/A
17	<p>Single Access School Milk Cooler, Continental Model MC5-SS-S 58" Forced Air Milk Cooler, Single Access Stainless steel exterior and interior, heavy-duty stainless steel lid, door hinges and latches with reinforced stainless steel Floor. Designed to keep milk cold during serving. Wrap around bumpers, Color laminate Corner bumpers Powder coating Foot pedal floor lock Dual access, REFRIGERATION SYSTEM Forced air, performance-rated refrigeration system, Environmentally-safe R-134a refrigerant easily serviceable, bottom-mounted compressor Built-in, electric condensate evaporator. CABINET ARCHITECTURE 2" high density, non-CFC polyurethane foamed-in-place insulation Snap-in lid and door gasket Non-corrosive, heavy-duty, epoxy-coated steel wire floor racks Door cylinder security lock 5" swivel casters w/ front locking brakes, MODEL FEATURES Electronic controller w/digital display & hi-low alarm Floor drain Unique forced air flow curtain ELECTRICAL DATA, Voltage (int'l) 115/60/1 (220/50/1) Total Amps (int'l) 7.4 (4.3) 10 ft. Cord/Plug [attached] (int'l) Yes</p>	Each	\$5,201.49	\$5,250.01	\$5,167.80	\$4,847.00	\$4,355.74	\$5,138.37	\$5,300.00	\$4,905.97
18	<p>Single Access School Milk Cooler, Continental Model MC4-SS-S 49" Forced Air Milk Cooler, Single Access Stainless steel exterior and interior, heavy-duty stainless steel lid, door hinges and latches with reinforced stainless steel Floor. Designed to keep milk cold during serving. Wrap around bumpers Color laminate Corner bumpers Powder coating Foot pedal floor lock Dual access, REFRIGERATION SYSTEM Forced air, performance-rated refrigeration system, Environmentally-safe R-134a refrigerant easily serviceable, bottom-mounted compressor Built-in, electric condensate evaporator. CABINET ARCHITECTURE 2" high density, non-CFC polyurethane foamed-in-place insulation Snap-in lid and door gasket Non-corrosive, heavy-duty, epoxy-coated steel wire floor racks Door cylinder security lock 5" swivel casters w/ front locking brakes, MODEL FEATURES Electronic controller w/digital display & hi-low alarm Floor drain Unique forced air flow curtain, ELECTRICAL DATA Voltage (int'l) 115/60/1 (220/50/1) Total Amps (int'l) 6.7 (3.9) 10 ft. Cord/Plug [attached] (int'l) Yes</p>	Each	\$4,837.25	\$4,899.99	\$4,799.54	\$4,527.00	\$4,068.13	\$4,766.83	\$4,990.00	\$5,068.80

19	<p>Single Access School Milk Cooler, Continental Model MC3-SS-S 34" Forced Air Milk Cooler, Single Access Stainless steel exterior and interior, heavy-duty stainless steel lid, door hinges and latches with reinforced stainless steel Floor. Designed to keep milk cold during serving. Wrap around bumpers Color laminate Corner bumpers Powder coating Foot pedal floor lock Dual access, REFRIGERATION SYSTEM Forced air, performance-rated refrigeration system, Environmentally-safe R-134a refrigerant easily serviceable, bottom-mounted compressor Built-in, electric condensate evaporator. CABINET ARCHITECTURE 2" high density, non-CFC polyurethane foamed-in-place insulation Snap-in lid and door gasket Non-corrosive, heavy-duty, epoxy-coated steel wire floor racks Door cylinder security lock 5" swivel casters w/ front locking brakes MODEL FEATURES Electronic controller w/digital display & hi-low alarm Floor drain Unique forced air flow curtain ELECTRICAL DATA Voltage (int'l) 115/60/1 (220/50/1) Total Amps (int'l) 5.3 (3.2) 10 ft. Cord/Plug [attached] (int'l) Yes</p>	Each	\$4,309.80	\$4,499.99	\$4,303.98	\$4,055.00	\$3,644.06	\$4,229.12	\$4,532.00	\$4,602.13
20	<p>Milk Cooler Beverage Air Model No. SMF49HC-1-S School Milk Cooler, forced air, 49"W x 33-5/8"D x 47"H, 19.66 cu. ft., single access, exterior digital thermometer, (12) 13" x 13" x 11" or (8) 19" x 13" x 11" case capacity, self-latching doors/lids with safety bumpers, cylinder lock, wire floor racks, floor drain, electronic control, auto defrost, stainless steel interior & exterior, R290 Hydrocarbon refrigerant, 1/4 HP, cULus, UL EPH Classified, ULSanitation, Made in USA 1 ea 115v/60/1-ph, 3.0 amps, cord with NEMA 5-15P 1 ea 6" Heavy duty casters, (2) with brakes, standard</p>	Each	\$4,479.99	\$3,664.60	\$4,299.34	\$4,582.00	\$4,141.96	\$4,165.93	\$4,798.00	\$4,203.00
21	<p>Convection Oven, Gas Blodgett Oven Model DFG100 DOUBLE Convection Oven, gas, double-deck, standard depth, solid state manual controls, 2-speed fans, (5) racks and (11) positions, interior light, simultaneous operated doors with glass, s/s front, sides and top, 6" s/s legs, flue connector, 55,000 BTU each Accessories: 1 ea Gas type to be determined 1 ea Draft diverter 1 ea Gas manifold for double ovens</p>	Each	\$23,077.51	\$21,500.00	\$22,987.69	\$25,031.00	\$18,067.40	\$27,380.09	\$26,017.00	\$23,563.51
22	<p>Convection Oven, Gas Blodgett Oven Model DFG100 SINGLE Convection Oven, gas, single-deck, standard depth, solid state manual controls, 2-speed fan, (5) racks and (11) positions, interior light, simultaneous operated doors with glass, s/s front, sides and top, 25" s/s legs, 55,000 BTU Accessories: 1 ea Gas type to be determined 1 ea Draft diverter</p>	Each	\$12,188.52	\$11,500.00	\$13,377.80	\$12,948.00	\$8,938.00	\$14,547.69	\$14,061.00	\$12,561.81
23	<p>Convection Oven, Electric Blodgett Oven Model No. SHO-E SINGLE Convection Oven, Electric, single dec, full size capacity (5) 18"x 26" Pans, s/s doors. Dual pane thermal glass window on left/solid right Hand door, (5) s/s racks and (11) rack positions, chrome plated door Handle, manual controls, cooling fan, stainless steel construction, 25" Adjustable stainless steel legs, 110kW, 1/3 hp blower, Cetl, NSF, Energy Star® (contact factory for price) Weight: 480 lbs total Accessories: 1 each 208v/60/3-ph, 110kW, 31.0 amps</p>	Each	\$6,301.85	\$2,818.70	\$6,571.78	\$5,964.00	\$6,349.25	no bid	\$12,877.00	\$6,887.19
24	<p>Fryer, Floor Model, Gas, Full Pot Pitco Frialator Model SG18SSTC-SS Solstice Fryer, gas, heavy duty floor model, 70-90 lb. fat cap., solid state thermostat, s/s tank and exterior, 140,000 BTU 1 ea Gas type to be determined Accessories: 1 ea 120/60/1-ph, NEMA 5-15P 1 ea Casters, 9" (set) 1 ea Tank cover, 18 gauge light duty, for model SG18/18BNB & SGM18x24</p>	Each	\$5,507.89	\$2,523.00	\$5,622.74	\$4,863.00	\$4,862.71	\$11,177.01	\$5,919.00	\$9,235.19

25	Planetary Mixer Globe (Middleby) Model No. SP20 (QUICK SHIP) Planetary Mixer, bench model, 20 qt. (19 liter) capacity, 3-speed (fixed), #12 hub, includes: stainless steel removable bowl guard with built-in ingredient chute, 20 qt. stainless steel bowl, aluminum spiral dough hook, stainless steel wire whip & aluminum flat beater, interlocked bowl lift, gear-driven motor, front-mounted touchpad controls with 60-minute digital timer & last batch recall, non-slip rubber feet, cast iron body, enamel gray finish, 1/2 HP, 115v/60/1-ph, 6.0 amps, cord, NEMA 5-15P, NSF, cETLus (Ships within 1-2 days) Quick Ship items have limited configurations & that standard configuration may not apply. Contact factory for details	Each	\$3,070.10	\$3,100.00	\$3,088.22	\$2,821.00	\$2,818.40	\$3,235.31	\$3,277.00	\$3,237.98
26	Globe (Middleby) Model No. XTABLE Mixer Table, with undershelf, for the SP08, SP10, SP20 and SP25, 30"W x 24"D x 24"H, stainless steel top with galvanized steel undershelf & legs Quick Ship items have limited configurations & that standard configuration may not apply. Contact factory for details	Each	\$1,118.77	\$1,300.00	\$1,349.82	\$1,059.00	\$1,057.26	\$1,294.03	\$1,287.00	\$1,622.47
27	Tilting Skillet/Braising Pan, Gas Blodgett Steam Model BLP-30G Braising Pan, Gas, 30-gallon capacity, manual controls with power switch, thermostat range 160°-445°F, electronic ignition, s/s pan and console and open frame, power tilt, spring assist hinged s/s cover with handle, 80,000BTU Accessories: 1 ea 1 year extended parts and labor warranties, net 1 ea Specify gas type 1 ea 115v, 60 Hz, 1 ph, std. 1 ea Etched gallon markings 1 ea 1-1/2" Tangent draw-off valve with strainer 1 ea 12" Dual pantry faucet 1 ea Pan carrier	Each	\$28,651.32	\$23,500.00	\$24,931.64	\$31,058.00	\$22,420.94	Discontinued	\$29,066.00	\$26,567.47
28	Tilting Skillet/Braising Pan, Gas Blodgett Steam Model BLP-40G Braising Pan, Gas, 40-gallon capacity, manual controls with power switch, thermostat range 160°-445°F, electronic ignition, s/s pan and console and open frame, power tilt, spring assist hinged s/s cover with handle, 100,000BTU Accessories: 1 ea 1 year extended parts and labor warranties, net 1 ea Specify gas type 1 ea 115v, 60 Hz, 1 ph, std. 1 ea Etched gallon markings 1 ea 1-1/2" Tangent draw-off valve with strainer 1 ea 12" Dual pantry faucet 1 ea Pan carrier	Each	\$32,003.92	\$25,300.00	\$0.00	\$34,283.00	\$24,255.51	Discontinued	\$24,935.00	\$28,345.00
29	Range, HD, 24", 4 Open Burners Blodgett Range Model No. BR-4 Unit shall have 35,000 BTU per cast iron opener burner removable cast iron top grates for open top burners, highly polished reinforced cast iron plates for hot top sections, variable size multi-point gas connection, stainless steel gas tubing throughout one stainless steel pilot per burner, gas pressure regulator, 14 gauge welded body construction, Stainless steel front, top, sides, bottom and flue riser, stainless steel plate shelf (w/mirror finish belly rail), Stainless steel tray bed, stainless steel cabinet interior and exterior, 6" stainless steel adjustable legs	Each	\$6,029.60	\$7,299.99	\$5,255.84	\$6,121.00	\$6,898.47	Discontinued	\$6,677.00	\$6,092.11
30	Range, Gas, Half Size, 18" Blodgett Range Model B18C-X Range, 18" Heavy Duty, (2) 45,000BTU open burners w/removable grates, cabinet base, 7" s/s "belly bar", front and sides, 5" flue riser, 6" adjustable legs, pressure regulator, 90,000BTU Accessories: 1 ea Gas type to be determined 1 ea 1" Rear gas connection 1 ea Range not in battery 1 ea Flue Riser, 24" high x 18" wide, s/s front and sides	Each	\$5,371.95	\$6,600.00	\$4,684.80	\$5,470.00	\$6,253.98	Discontinued	\$5,911.00	\$2,992.11

31	Steamer, Convection, Gas, Floor Model Blodgett Steam Model SB-6G Convection Steamer, Gas, 2-compartment, (3) 12" x 20" x 2-1/2" pan cap. each, manual controls, automatic boiler blowdown, 316 s/s interior, 24" boiler base, CSD-1 standard, 6" adjustable legs w/bullet & flanged feet, 140,000BTU Accessories: 1 ea Specify gas type 1 ea 115v, 60 hz, 1 ph, std. 1 ea Increase to 200,000BTU in lieu of std. 140,000BTU 1 ea Steam take off kit for connecting kettle to boiler 1 ea Terry lime scale reducing system for boiler based steamers or steam generator based equipment	Each	\$23,704.07	\$25,000.00	\$20,783.24	\$25,253.00	\$23,059.50	Discontinued	\$23,959.00	\$22,578.22
32	Steamer/Kettle Combination, Gas Blodgett Steam Model SB-6G-6K Convection Steamer, Gas, (2) compartment, (3) 12" x 20" x 2-1/2" pan capacity each, manual controls, automatic boiler blowdown, (1) 6 gallon tilting kettle, 44" cabinet base, CSD-1 standard, 6" legs bullet and flange feet, 200,000BTU Accessories: 1 ea 1 year extended parts and labor warranties, net 1 ea Specify gas type 1 ea Steam take off kit for connecting kettle to boiler 1 ea Lift off cover, s/s, 6 gallon 1 ea Lip strainer, 6 gallon 1 ea Terry lime scale reducing system for boiler based steamers or steam generator based equipment 1 ea Increase to 250,000BTU in lieu of std. 200,000BTU	Each	\$39,114.95	\$41,500.00	\$35,341.58	\$42,557.00	\$38,861.04	Discontinued	\$39,178.00	\$38,729.01
33	Steamer Single Unit Stands Model SNH-13-00 Stainless steel support stand with shelf for use with AccuTemp Evolution and Steam'N'Hold 6 pan or 3 pan steamers, Single unit flanged feet. Overall Height – 33.15 in Width – 26.63 in Depth – 24.69 in Compatibility - Steam'N'Hold, Electric, 6 Pan or 3 Pan Units Evolution, Electric, 6 Pan Connected or Connectionless Units Evolution, Natural Gas or Propane, 6 Pan Connected or Connectionless Units	Each	\$1,399.71	\$1,200.00	\$1,442.34	\$1,235.00	\$1,482.04	\$1,586.48	\$1,610.00	\$1,798.91
34	Steamer Double Unit Stands Model SNH-23-01 Stainless steel, ergo-low, double stack support stand with shelf for use with AccuTemp Evolution and Steam'N'Hold steamers. Stand will hold (2) AccuTemp steamers, Double unit with option of 5" casters, adjustable bullet feet or flanged feet. Overall Height – 39.47 in Depth – 24.69 in Width – 26.63 in Compatibility - Steam'N'Hold, Electric, (2) 6 Pan, (2) 3 Pan Units, or (1) 6 Pan/ (1) 3 Pan Evolution, Electric, (2) 6 Pan Connected or Connectionless Units Evolution, Natural Gas or Propane, (2) 6 Pan Connected Units ONLY	Each	\$1,810.61	\$1,699.00	\$1,877.17	\$1,651.00	\$1,980.70	\$2,053.00	\$2,017.00	\$2,204.97
35	Steamer, Convection, Gas, Floor Model Blodgett Steam Model SC-16GH High Efficiency Convection Steamer, Gas, (2) compartment, (8) 12" x 20" x 2-1/2" pan capacity each, individual manual compartment controls w/auto blowdown, electric ignition, 316 s/s interior, delimiting port, split water line, 36" cabinet base, 6" legs, 190,000BTU total Accessories: 1 ea 1 year extended parts and labor warranties, net 1 ea Specify gas type 1 ea 115v, 60 hz, 1 ph, std. 1 ea Terry lime scale reducing system for boiler based steamers or steam generator based equipment	Each	\$25,459.83	\$38,700.00	\$22,377.23	\$27,150.00	\$36,362.40	Discontinued	\$25,628.00	\$23,049.92
36	Countertop Steamer Stand, Southbend Model No.RL-28X Single unit 28" high stand (EZ24-3 OR EZ24-5)	Each	\$1,074.62	\$1,299.00	\$994.04	\$1,102.00	\$1,005.95	\$1,519.41	\$1,219.00	\$1,604.58
37	Steamer, Single Boilerless Gas Combination- Oven/Steamers Blodgett Model BX-14G BX Series Boilerless– single unit, Gas Full Size Boilerless Oven/Steamer 13 position rack guides, 5 stainless steel wire shelves, 7 full size 18" X 26" bake pans or 7 12" X 20" X 2 1/2" steam table pans	Each	\$24,266.14	\$25,500.00	\$21,242.74	\$22,952.00	\$24,808.31	Discontinued	\$22,761.00	\$26,007.43

38	Combi Oven, Cleveland Range Model No. GB 6.20 CONVOTHERM Combi Oven-Steamer, Gas, steam generator, Full-Size, disappearing door, Advanced Closed System +3, digital controls for temperature, time and core probe, 250 stored recipe program capacity, cooking models hot air, steam, combi, retherm, cook & hold, "Delta T" slow cooking and "Crisp & Tasty", includes (4) 26" x 20" wire shelves, hand shower, (7) 18" x 26" or (14) 12" x 20" pan capacity, s/s interior and exterior, 75,700 BTU, for natural gas, UL-Gas, UL-Sanitation 1 ea CWT-06 Claris Water Treatment System, includes (1) pre-filer, (1) Claris X-large steam system, (1) Claris flow meter and (1) water test kit 1 ea Natural Gas 1 ea 120v/60/1-ph, 4.9 amp 2 ea CWR20 Wire Shelves, 20" x 26", 6.20, 10.20, 12.20 & 20.20 (P/N WS46) 1 ea CSTKG620CA Stacking Kit, for stacking two 6.20 gas models, with casters (P/N 111806)	Each	\$45,115.74	\$22,750.00	\$39,562.54	\$16,700.00	\$45,122.39	\$51,287.52	\$34,636.00	\$39,336.48
39	Steamer, Double Boilerless Gas Combination-Oven/Steamer Blodgett Model BX-14G Stainless steel exterior top, front, sides, and back resist dents and scratches, Includes 5 stainless steel wire shelves per section, Unit shall have the ability to cook with Pressureless steam (212F), hot air, or combination of steam and hot air (with an operating range 140F to 500F). Low temperature cooking and holding, rethermalizing, cool down mode Oven capacity to accept 7 each 18X26 bake pans or 14 each 12X20X2.5" full size steam pans with 3 1/2" spacing. Front access service user interface control panel and service diagnosis system, Unit shall be constructed with a fully welded stainless steel frame, Cooking chamber shall be constructed with 316 series with 2B dull stainless steel finish and coved corners. Retractable hose reel to include front water shut off valve, Four speed, bi-directional fan with vent switch to control humidity in the cooking chamber, Dual pane thermal glass window with 180 degree door swing, two-step safety door-latch with adjustable door hinges, door mounted drip pan, Detachable 4" core temperature probe and halogen lights Natural gas, Stacking kit and 4-in. casters included, User interface panel pivots out for service access 1-in. right side clearance required, 6-in. rear clearance required, Required gas supply: 3/4-in. NPT per section, Required incoming water pressure: 40-50 PSI , Required inlet pressure: 7-in. W.C. static to unit 2-in. drain connection needed, Maximum drain temperature: 140 degrees F, 3/4-in. garden hose cold water 130,000 BTU 12 A, (2) 1/2 HP Overall dimensions: 40.19 in W x 43.3 in D x 73.12 in H 115 V/60Hz/1 ph, NEMA 5-20R cETLus listed, NSF certified	Each	\$46,384.89	\$45,618.60	\$41,156.16	\$45,214.00	\$27,294.31	Discontinued	\$43,666.00	\$26,007.43
40	Water Filter Assembly Mavea Model No. 106221 PURITY 1200 ST Complete, Filter Vessel, includes cartridge and digital Head (MDU), 6,816 gallons capacity at 5GPG, blended bypass, scale, taste & odor reduction, uses Decarbonization process, with IntelliBypass, adjustable bypass setting allows for a 0% to 50% blend, vertical or horizontal operation (1 per pack)	Each		\$1,798.50	\$0.00	\$960.00	\$2,299.05	no bid	\$2,061.00	\$2,414.32
41	1001518 Purity Quell ST Filter Head Digital display (MDU) as an exchange indicator adjustable bypass setting allows for a 0% to 50% blend, for PURITY ST 1200 filters (1 per pack)	Each		\$145.50	\$0.00	\$280.00	\$412.68	no bid	incl w/ #40	lete no longer available
42	315758 Knockout Bracket with Steplug Purity 1200	Each		\$750.00	\$0.00	\$45.00	NO BID	no bid	incl w/ #40	no longer available
43	Blender, Food Waring Model CB15 Food Blender, heavy-duty, 1 gallon, removable s/s container w/two handles, clear lid, electronic membrane keypad, 3-speed motor assembly, plus pulse, die cast base, 3. 75-HP, 120V, 60 Hz, UL, CUL, NSF listed	Each	\$1,582.95	\$1,499.00	\$2,179.86	\$1,485.00	\$1,712.86	\$2,269.72	\$1,749.00	\$2,101.93
44	Food Slicer Globe Model 3850P Two Speed Automatic Slicer, 40 & 60 strokes/minute, 13" dia. PreciseEdge™ knife, gear-driven, top-mounted knife sharpener, s/s construction, antimicrobial protection, knife cvr interlock, dual gear thickness adjustment, EZ-Glide™ table, open base design, lift lever, 1/2 Hp, ETL, NSF, 115v/60/1, 7 amps	Each	\$10,192.15	\$8,350.00	\$7,806.08	\$8,545.00	\$8,531.12	\$9,556.76	\$8,257.00	\$8,146.36

45	<p>Ice Maker, Cube-Style Manitowoc Model No. IDT0300A, Indigo NXT™ Series Ice Maker, cube-style, air-cooled, self-contained condenser, 30"W x 24-1/2"D x 16-1/2"H, production capacity up to 305 lb./24 hours at 70°/50° (230 lb. AHRI certified at 90°/70°), easyTouch display with 13 different language options, date/time stamp display, automatic reminder/alert icon, one touch asset information, automatic detection of accessories, continuous operating status, programmable production options (time, weight, day or night), one touch cleaning with displayed instructions, Alpha-San anti-microbial protection, acoustical ice sensing probe, self-diagnostic technology, DuraTech™ exterior, dice size cubes, R410a refrigerant, NSF, cULus, CE, ENERGY STAR®</p> <p>1 ea (-161) 115v/60/1-ph 1 ea D400 Ice Bin, 30"W x 34"D x 38"H, with side-hinged front-opening door, side grips, 365 lbs. application capacity, AHRI certified 12.3 cu. ft., for top-mounted ice maker, Duratech exterior, NSF 1 ea Legs, 6" adjustable stainless steel, standard</p>		\$5,317.10	\$5,100.00	\$5,245.12	\$4,426.00	\$4,698.86	\$5,121.01	\$6,095.00	\$4,737.82
46	<p>Ice Maker and Bin Cube Style Ice Maker, Scotsman Model # CME306AS-1H CM# Ice Maker, Cube Style, air cooled, self-contained condenser, Approximately 340-lb production/24 hours, stainless steel finish, contour cube style, 115v/60/1</p>	Each	\$5,598.22	\$4,600.00	\$4,322.00	\$4,841.00	\$3,854.90	\$4,040.14	\$6,277.00	\$3,890.01
47	<p>Ice Bin, Scotsman Model # B322S Ice Bin, w/top-hinged front-opening door, up to 370-lb ice storage capacity,fort top mounted ice maker, stainless steel exterior, polyethylene liner, includes 6" legs</p>	Each	\$1,375.62	\$1,299.00	\$1,506.00	\$1,187.00	\$1,233.89	\$1,453.52	incl w/ #46	\$1,738.65
48	<p>Ice Maker and Bin, Manitowoc Indigo Series I-500 Ice Machine on B-570 Bin Space-saving design, 71.50" H, 30.00" W, 34.00"D. Bin storage 430lbs, Ice Machine Electric, Approximately 500 lb. /24 hrs, Ice Bin holds up to 500 lbs. of ice. Stainless Steel 115v/60/1 standard Finish, contour cube style. 3 year parts and labor warranties on all components</p>	Each	\$6,104.14	\$4,750.00	\$5,988.88	\$5,207.00	\$5,637.49	\$5,353.64	\$6,880.00	\$5,468.98
49	<p>Serving Counter, Utility Duke Manufacturing Model TST- 32 Thurmaduke™ Serving Systems - Solid Top Unit, mobile utility counter, 32"L, 32"W, 36"H, 16ga, stainless steel top, 20ga paint grip steel body and undershelves, 5" dia. gray poly swivel casters and brakes. Choice of (12) powder coat paint colors, NSF approved ILD Internal Locking device, stainless steel pin & latch line up device under countertop, per unit price (on both ends), SOLID-HD-4CU Tray Slide, customer's side, 32" W x 12 1/4" D, solid stainless steel, on hinged brackets, with (2) 1/8" die-formed rubbing tracks 442-5S-HD-OP Cutting Board/Shelf, operator's side, 7"D, 18ga stainless steel, (3) hinged brackets, Shelf-mounted flush to counter top TS540-32 Thurmaduke™ Designer Sneeze Guard, 31 5/8" W x 18 3/8" D x 18" H, self-service style, painted end Panels, 13" wide shelf & 1/4" acrylic end guards, cULus, UL EPH Classified, TS500-SSS Stainless Steel Shelf, in lieu of standard painted steel</p>	Each	\$4,026.15	\$5,566.24	\$6,845.70	\$3,945.00	\$4,294.82	\$6,013.99	\$5,589.00	\$5,113.40
50	<p>Serving Counter, Utility Duke Manufacturing Model TST- 32 Thurmaduke™ Serving Systems - Solid Top Unit, mobile utility counter, 32"L, 32"W, 34"H, 16ga, stainless steel top, 20ga paint grip steel body and undershelves, 5" dia. gray poly swivel casters and brakes. Choice of (12) powder coat paint colors, NSF approved ILD Internal Locking device, stainless steel pin & latch line up device under countertop, per unit price (on both ends), SOLID-HD-4CU Tray Slide, customer's side, 32" W x 12 1/4" D, solid stainless steel, on hinged brackets, with (2) 1/8" die-formed rubbing tracks 442-5S-HD-OP Cutting Board/Shelf, operator's side, 7"D, 18ga stainless steel, (3) hinged brackets, Shelf-mounted flush to counter top, TS540-32 Thurmaduke™ Designer Sneeze Guard, 31 5/8" W x 18 3/8" D x 18" H, self-service style, painted end Panels, 13" wide shelf & 1/4" acrylic end guards, cULus, UL EPH Classified, TS500-SSS Stainless Steel Shelf, in lieu of standard painted steel</p>	Each	\$4,026.15	\$5,566.24	\$6,845.70	\$3,945.00	\$4,294.82	\$6,013.99	\$5,589.00	\$6,699.46

51	<p>Serving Counter, Utility Duke Manufacturing Model TST- 46</p> <p>Thurmaduke™ Serving Systems - Solid Top Unit, mobile utility counter, 46"L, 32"W, 36"H, 16ga, stainless steel top, 20ga paint grip steel body and undershelves, 5" dia. gray poly swivel casters and brakes. Choice of (12) powder coat paint colors, NSF approved ILD Internal Locking device, stainless steel pin & latch line up device under countertop, per unit price (on both ends), SOLID-HD-4CU Tray Slide, customer's side, 46" W x 12 1/4" D, solid stainless steel, on hinged brackets, with (2) 1/8" die-formed rubbing tracks 442-5S-HD-OP Cutting Board/Shelf, operator's side, 7"D, 18ga stainless steel, (3) hinged brackets, Shelf-mounted flush to counter top, TS540-46 Thurmaduke™ Designer Sneeze Guard, 45 5/8" W x 18 3/8" D x 18" H, self-service style, painted end Panels, 13" wide shelf & 1/4" acrylic end guards, cULus, UL EPH Classified, TS500-SSS Stainless Steel Shelf, in lieu of standard painted steel</p>	Each	\$4,610.98	\$6,318.68	\$7,758.62	\$4,479.00	\$4,884.41	\$6,794.65	\$6,449.00	\$5,582.38
52	<p>Serving Counter, Utility Duke Manufacturing Model TST- 46</p> <p>Thurmaduke™ Serving Systems - Solid Top Unit, mobile utility counter, 46"L, 32"W, 34"H, 16ga, stainless steel top, 20ga paint grip steel body and undershelves, 5" dia. gray poly swivel casters and brakes. Choice of (12) powder coat paint colors, NSF approved ILD Internal Locking device, stainless steel pin & latch line up device under countertop, per unit price (on both ends), SOLID-HD-4CU Tray Slide, customer's side, 46" W x 12 1/4" D, solid stainless steel, on hinged brackets, with (2) 1/8" die-formed rubbing tracks 442-5S-HD-OP Cutting Board/Shelf, operator's side, 7"D, 18ga stainless steel, (3) hinged brackets, Shelf-mounted flush to counter top, TS540-46 Thurmaduke™ Designer Sneeze Guard, 45 5/8" W x 18 3/8" D x 18" H, self-service style, painted end Panels, 13" wide shelf & 1/4" acrylic end guards, cULus, UL EPH Classified, TS500-SSS Stainless Steel Shelf, in lieu of standard painted steel</p>	Each	\$4,610.98	\$6,318.68	\$7,758.62	\$4,479.00	\$4,884.41	\$6,834.64	\$6,449.00	\$7,167.48
53	<p>Serving Counter, Utility Duke Manufacturing Model TST- 60</p> <p>Thurmaduke™ Serving Systems - Solid Top Unit, mobile utility counter, 60"L, 32"W, 36"H, 16ga, stainless steel top, 20ga paint grip steel body and undershelves, 5" dia. gray poly swivel casters and brakes. Choice of (12) powder coat paint colors, NSF approved ILD Internal Locking device, stainless steel pin & latch line up device under countertop, per unit price (on both ends), SOLID-HD-4CU Tray Slide, customer's side, 60" W x 12 1/4" D, solid stainless steel, on hinged brackets, with (2) 1/8" die-formed rubbing tracks 442-5S-HD-OP Cutting Board/Shelf, operator's side, 7"D, 18ga stainless steel, (3) hinged brackets, Shelf-mounted flush to counter top, TS540-60 Thurmaduke™ Designer Sneeze Guard, 59 5/8" W x 18 3/8" D x 18" H, self-service style, painted end Panels, 13" wide shelf & 1/4" acrylic end guards, cULus, UL EPH Classified, TS500-SSS Stainless Steel Shelf, in lieu of standard painted steel SCPC Standard Color Powder Coat Paint</p>	Each	\$5,266.81	\$7,176.70	\$9,011.84	\$5,087.00	\$5,761.42	\$6,883.61	\$7,303.00	\$8,290.33
54	<p>Serving Counter, Utility Duke Manufacturing Model TST- 60</p> <p>Thurmaduke™ Serving Systems - Solid Top Unit, mobile utility counter, 60"L, 32"W, 34"H, 16ga, stainless steel top, 20ga paint grip steel body and undershelves, 5" dia. gray poly swivel casters and brakes. Choice of (12) powder coat paint colors, NSF approved ILD Internal Locking device, stainless steel pin & latch line up device under countertop, per unit price (on both ends), SOLID-HD-4CU Tray Slide, customer's side, 60" W x 12 1/4" D, solid stainless steel, on hinged brackets, with (2) 1/8" die-formed rubbing tracks 442-5S-HD-OP Cutting Board/Shelf, operator's side, 7"D, 18ga stainless steel, (3) hinged brackets, Shelf-mounted flush to counter top, TS540-60 Thurmaduke™ Designer Sneeze Guard, 59 5/8" W x 18 3/8" D x 18" H, self-service style, painted end Panels, 13" wide shelf & 1/4" acrylic end guards, cULus, UL EPH Classified, TS500-SSS Stainless Steel Shelf, in lieu of standard painted steel SCPC Standard Color Powder Coat Paint</p>	Each	\$5,266.81	\$7,176.70	\$9,011.84	\$5,087.00	\$5,761.42	\$6,883.61	\$7,303.00	\$8,290.33
55	<p>Serving Counter, Utility Duke Manufacturing Model TST- 74</p> <p>Thurmaduke™ Serving Systems - Solid Top Unit, mobile utility counter, 74"L, 32"W, 36"H, 16ga, stainless steel top, 20ga paint grip steel body and undershelves, 5" dia. gray poly swivel casters and brakes. Choice of (12) powder coat paint colors, NSF approved ILD Internal Locking device, stainless steel pin & latch line up device under countertop, per unit price (on both ends), SOLID-HD-4CU Tray Slide, customer's side, 74" W x 12 1/4" D, solid stainless steel, on hinged brackets, with (2) 1/8" die-formed rubbing tracks 442-5S-HD-OP Cutting Board/Shelf, operator's side, 7"D, 18ga stainless steel, (3) hinged brackets, Shelf-mounted flush to counter top, TS540-74 Thurmaduke™ Designer Sneeze Guard, 73 5/8" W x 18 3/8" D x 18" H, self-service style, painted end Panels, 13" wide shelf & 1/4" acrylic end guards, cULus, UL EPH Classified, TS500-SSS Stainless Steel Shelf, in lieu of standard painted steel SCPC Standard Color Powder Coat Paint</p>	Each	\$6,579.45	\$8,994.16	\$10,946.20	\$6,375.00	\$6,981.78	\$9,675.90	\$8,899.00	\$10,032.40

56	<p>Serving Counter, Utility Duke Manufacturing Model TST-74 Thurmaduke™ Serving Systems - Solid Top Unit, mobile utility counter, 74"L, 32"W, 34"H, 16ga, stainless steel top, 20ga paint grip steel body and undershelves, 5" dia. gray poly swivel casters and brakes. Choice of (12) powder coat paint colors, NSF approved ILD Internal Locking device, stainless steel pin & latch line up device under countertop, per unit price (on both ends), SOLID-HD-4CU Tray Slide, customer's side, 74" W x 12 1/4" D, solid stainless steel, on hinged brackets, with (2) 1/8" die-formed rubbing tracks 442-5S-HD-OP Cutting Board/Shelf, operator's side, 7"D, 18ga stainless steel, (3) hinged brackets, Shelf-mounted flush to counter top, TS540-74 Thurmaduke™ Designer Sneeze Guard, 73 5/8" W x 18 3/8" D x 18" H, self-service style, painted end Panels, 13" wide shelf & 1/4" acrylic end guards, cULus, UL EPH Classified, TS500-SSS Stainless Steel Shelf, in lieu of standard painted steel SCPC Standard Color Powder Coat Paint</p>	Each	\$6,579.45	\$8,994.16	\$10,946.20	\$6,375.00	\$6,981.78	\$9,675.90	\$8,899.00	\$9,860.99
57	<p>Serving Counter, Hot Food, Electric Duke Manufacturing Model TEHF-32 Thurmaduke™ Hot Food Unit, mobile electric, 32"W, 32"D, 36"H, 16ga stainless steel top, (5) stainless steel heat wells, drains, copper manifolds, (1) valve, thermostats, dish shelf, 20ga paint grip steel body & undershelf, 5" swivel casters & brakes, 6ft cord with plug, cULus, UL EPH Classified, Dimensions 36(h) x 32(w) x 32(d), TEHF32-208-1 208v/60/1-ph, 4500 watts, 21.6 amps Choice of (12) powder coat paint colors, NSF approved, ILD Internal Locking device, stainless steel pin & latch line up device under countertop, per unit price (on both ends), SOLID-HD-4CU Tray Slide, customer's side, 32" W x 12 1/4" D, solid stainless steel, on hinged brackets, with (2) 1/8" die-formed rubbing tracks, 442-5S-HD-OP Cutting Board/Shelf, operator's side, 7"D, 18ga stainless steel, (3) hinged brackets, Shelf-mounted flush to counter top, TS540-32 Thurmaduke™ Designer Sneeze Guard, 31 5/8" W x 18 3/8" D x 18" H, self-service style, painted end Panels, 13" wide shelf & 1/4" acrylic end guards, cULus, UL EPH Classified, TS500-SSS Stainless Steel Shelf, in lieu of standard painted steel SCPC Standard Color Powder Coat Paint, Pan openings to be 11 7/8" X 19 7/8" X 6 1/4" deep NSF approved</p>		\$5,984.80	\$8,414.56	\$9,545.42	\$5,964.00	\$6,994.54	\$8,646.77	\$8,090.00	\$9,349.64
58	<p>Serving Counter, Hot Food, Electric Duke Manufacturing Model TEHF-32 Thurmaduke™ Hot Food Unit, mobile electric, 32"W, 32"D, 34"H, 16ga stainless steel top, (5) stainless steel heat wells, drains, copper manifolds, (1) valve, thermostats, dish shelf, 20ga paint grip steel body & undershelf, 5" swivel casters & brakes, 6ft cord with plug, cULus, UL EPH Classified, Dimensions 36(h) x 32(w) x 32(d), TEHF32-208-1 208v/60/1-ph, 4500 watts, 21.6 amps Choice of (12) powder coat paint colors, NSF approved, ILD Internal Locking device, stainless steel pin & latch line up device under countertop, per unit price (on both ends), SOLID-HD-4CU Tray Slide, customer's side, 32" W x 12 1/4" D, solid stainless steel, on hinged brackets, with (2) 1/8" die-formed rubbing tracks, 442-5S-HD-OP Cutting Board/Shelf, operator's side, 7"D, 18ga stainless steel, (3) hinged brackets, Shelf-mounted flush to counter top, TS540-32 Thurmaduke™ Designer Sneeze Guard, 31 5/8" W x 18 3/8" D x 18" H, self-service style, painted end Panels, 13" wide shelf & 1/4" acrylic end guards, cULus, UL EPH Classified, TS500-SSS Stainless Steel Shelf, in lieu of standard painted steel SCPC Standard Color Powder Coat Paint, Pan openings to be 11 7/8" X 19 7/8" X 6 1/4" deep NSF approved</p>	Each	\$5,984.80	\$8,414.56	\$9,545.42	\$5,964.00	\$6,994.54	\$8,646.77	\$8,090.00	\$9,349.64
59	<p>Serving Counter, Hot Food, Electric Duke Manufacturing Model TEHF-46 Thurmaduke™ Hot Food Unit, mobile electric, 46"W, 32"D, 36"H, 16ga stainless steel top, (5) stainless steel heat wells, drains, copper manifolds, (1) valve, thermostats, dish shelf, 20ga paint grip steel body & undershelf, 5" swivel casters & brakes, 6ft cord with plug, cULus, UL EPH Classified, Dimensions 36(h) x 46(w) x 32(d), TEHF46-208-1 208v/60/1-ph, 4500 watts, 21.6 amps Choice of (12) powder coat paint colors, NSF approved, ILD Internal Locking device, stainless steel pin & latch line up device under countertop, per unit price (on both ends), SOLID-HD-4CU Tray Slide, customer's side, 46" W x 12 1/4" D, solid stainless steel, on hinged brackets, with (2) 1/8" die-formed rubbing tracks, 442-5S-HD-OP Cutting Board/Shelf, operator's side, 7"D, 18ga stainless steel, (3) hinged brackets, Shelf-mounted flush to counter top, TS540-46 Thurmaduke™ Designer Sneeze Guard, 45 5/8" W x 18 3/8" D x 18" H, self-service style, painted end Panels, 13" wide shelf & 1/4" acrylic end guards, cULus, UL EPH Classified, TS500-SSS Stainless Steel Shelf, in lieu of standard painted steel SCPC Standard Color Powder Coat Paint</p>	Each	\$7,070.30	\$9,905.99	\$11,158.77	\$7,022.00	\$8,284.56	\$10,110.50	\$9,600.00	\$10,713.25

60	<p>Serving Counter, Hot Food, Electric Duke Manufacturing Model TEHF-46</p> <p>Thurmaduke™ Hot Food Unit, mobile electric, 46"W, 32"D, 34"H, 16ga stainless steel top, (5) stainless steel heat wells, drains, copper manifolds, (1) valve, thermostats, dish shelf, 20ga paint grip steel body & undershelf, 5" swivel casters & brakes, 6ft cord with plug, cULus, UL EPH Classified, Dimensions 36(h) x 46(w) x 32(d), TEHF46-208-1 208v/60/1-ph, 4500 watts, 21.6 amps Choice of (12) powder coat paint colors, NSF approved, ILD Internal Locking device, stainless steel pin & latch line up device under countertop, per unit price (on both ends) SOLID-HD-4CU Tray Slide, customer's side, 46" W x 12 1/4" D, solid stainless steel, on hinged brackets, with (2) 1/8" die-formed rubbing tracks, 442-5S-HD-OP Cutting Board/Shelf, operator's side, 7"D, 18ga stainless steel, (3) hinged brackets, Shelf-mounted flush to counter top TS540-46</p> <p>Thurmaduke™ Designer Sneeze Guard, 45 5/8" W x 18 3/8" D x 18" H, self-service style, painted end Panels, 13" wide shelf & 1/4" acrylic end guards, cULus, UL EPH Classified, TS500-SSS Stainless Steel Shelf, in lieu of standard painted steel SCPC Standard Color Powder Coat Paint</p>	Each	\$7,070.30	\$9,905.99	\$11,158.77	\$7,022.00	\$8,284.56	\$10,110.50	\$9,600.00	\$10,713.25
61	<p>Serving Counter, Hot Food, Electric Duke Manufacturing Model TEHF-60</p> <p>Thurmaduke™ Hot Food Unit, mobile electric, 60"W, 32"D, 36"H, 16ga stainless steel top, (5) stainless steel heat wells, drains, copper manifolds, (1) valve, thermostats, dish shelf, 20ga paint grip steel body & undershelf, 5" swivel casters & brakes, 6ft cord with plug, cULus, UL EPH Classified, Dimensions 36(h) x 60(w) x 32(d), TEHF60-208-1 208v/60/1-ph, 4500 watts, 21.6 amps Choice of (12) powder coat paint colors, NSF approved, ILD Internal Locking device, stainless steel pin & latch line up device under countertop, per unit price (on both ends) SOLID-HD-4CU Tray Slide, customer's side, 60" W x 12 1/4" D, solid stainless steel, on hinged brackets, with (2) 1/8" die-formed rubbing tracks, 442-5S-HD-OP Cutting Board/Shelf, operator's side, 7"D, 18ga stainless steel, (3) hinged brackets, Shelf-mounted flush to counter top, TS540-60</p> <p>Thurmaduke™ Designer Sneeze Guard, 59 5/8" W x 18 3/8" D x 18" H, self-service style, painted end Panels, 13" wide shelf & 1/4" acrylic end guards, cULus, UL EPH Classified, TS500-SSS Stainless Steel Shelf, in lieu of standard painted steel SCPC Standard Color Powder Coat Paint</p>	Each	\$8,168.48	\$11,407.78	\$13,022.17	\$8,087.00	\$9,771.75	\$11,790.34	\$11,019.00	\$12,227.08
62	<p>Serving Counter, Hot Food, Electric Duke Manufacturing Model TEHF-60</p> <p>Thurmaduke™ Hot Food Unit, mobile electric, 60"W, 32"D, 34"H, 16ga stainless steel top, (5) stainless steel heat wells, drains, copper manifolds, (1) valve, thermostats, dish shelf, 20ga paint grip steel body & undershelf, 5" swivel casters & brakes, 6ft cord with plug, cULus, UL EPH Classified, Dimensions 36(h) x 60(w) x 32(d), TEHF60-208-1 208v/60/1-ph, 4500 watts, 21.6 amps Choice of (12) powder coat paint colors, NSF approved, ILD Internal Locking device, stainless steel pin & latch line up device under countertop, per unit price (on both ends) SOLID-HD-4CU Tray Slide, customer's side, 60" W x 12 1/4" D, solid stainless steel, on hinged brackets, with (2) 1/8" die-formed rubbing tracks, 442-5S-HD-OP Cutting Board/Shelf, operator's side, 7"D, 18ga stainless steel, (3) hinged brackets, Shelf-mounted flush to counter top, TS540-60</p> <p>Thurmaduke™ Designer Sneeze Guard, 59 5/8" W x 18 3/8" D x 18" H, self-service style, painted end Panels, 13" wide shelf & 1/4" acrylic end guards, cULus, UL EPH Classified, TS500-SSS Stainless Steel Shelf, in lieu of standard painted steel SCPC Standard Color Powder Coat Paint</p>	Each	\$8,168.48	\$11,407.78	\$13,022.17	\$8,087.00	\$9,771.75	\$11,790.34	\$11,019.00	\$12,227.08
63	<p>Serving Counter, Hot Food, Electric Duke Manufacturing Model TEHF-74</p> <p>Thurmaduke™ Hot Food Unit, mobile electric, 74"W, 32"D, 36"H, 16ga stainless steel top, (5) stainless steel heat wells, drains, copper manifolds, (1) valve, thermostats, dish shelf, 20ga paint grip steel body & undershelf, 5" swivel casters & brakes, 6ft cord with plug, cULus, UL EPH Classified, Dimensions 36(h) x 74(w) x 32(d), TEHF74-208-1 208v/60/1-ph, 4500 watts, 21.6 amps Choice of (12) powder coat paint colors, NSF approved, ILD Internal Locking device, stainless steel pin & latch line up device under countertop, per unit price (on both ends) SOLID-HD-4CU Tray Slide, customer's side, 74" W x 12 1/4" D, solid stainless steel, on hinged brackets, with (2) 1/8" die-formed rubbing tracks, 442-5S-HD-OP Cutting Board/Shelf, operator's side, 7"D, 18ga stainless steel, (3) hinged brackets, Shelf-mounted flush to counter top, TS540-74</p> <p>Thurmaduke™ Designer Sneeze Guard, 73 5/8" W x 18 3/8" D x 18" H, self-service style, painted end Panels, 13" wide shelf & 1/4" acrylic end guards, cULus, UL EPH Classified, TS500-SSS Stainless Steel Shelf, in lieu of standard painted steel SCPC Standard Color Powder Coat Paint, Pan openings to be 11 7/8" X 19 7/8" X 6 1/4" deep</p>	Each	\$10,071.40	\$14,082.22	\$15,768.79	\$9,982.00	\$11,804.37	\$14,395.30	\$13,368.00	\$14,595.10

64	<p>Serving Counter, Hot Food, Electric Duke Manufacturing Model TEHF-74 Thurmaduke™ Hot Food Unit, mobile electric, 74"W, 32"D, 34"H, 16ga stainless steel top, (5) stainless steel heat wells, drains, copper manifolds, (1) valve, thermostats, dish shelf, 20ga paint grip steel body & undershelf, 5" swivel casters & brakes, 6ft cord with plug, cULus, UL EPH Classified, Dimensions 36(h) x 74(w) x 32(d), TEHF74-208-1 208v/60/1-ph, 4500 watts, 21.6 amps Choice of (12) powder coat paint colors, NSF approved, ILD Internal Locking device, stainless steel pin & latch line up device under countertop, per unit price (on both ends), SOLID-HD-4CU Tray Slide, customer's side, 74" W x 12 1/4" D, solid stainless steel, on hinged brackets, with (2) 1/8" die-formed rubbing tracks, 442-5S-HD-OP Cutting Board/Shelf, operator's side, 7"D, 18ga stainless steel, (3) hinged brackets, Shelf-mounted flush to counter top, TS540-74 Thurmaduke™ Designer Sneeze Guard, 73 5/8" W x 18 3/8" D x 18" H, self-service style, painted end Panels, 13" wide shelf & 1/4" acrylic end guards, cULus, UL EPH Classified, TS500-SSS Stainless Steel Shelf, in lieu of standard painted steel, SCPC Standard Color Powder Coat Paint an openings to be 11 7/8" X 19 7/8" X 6 1/4" deep</p>	Each	\$10,071.40	\$14,082.22	\$15,768.79	\$9,982.00	\$11,804.37	\$14,395.30	\$13,368.00	\$14,595.10
65	<p>Serving Counter, Cold Pan Duke Manufacturing Model TCM-32-N7 Thurmaduke™ Cold Food Unit, mobile, 32"W x 32"D x 36"H, 16ga stainless steel top, NSF 7 stainless steel mechanical cold pan, 8" deep, 28 1/2" x 21 3/4" liner, 1" drain line & valve, 20ga paint grip steel body & undershelf, 5" dia. swivel casters & brakes, 120v/60/1-ph, 4.8 amps, NEMA 5-15P, cULus, UL EPH Classified, Dimensions 36(h) x 32(w) x 32(d) Choice of (12) powder coat paint colors, ILD Internal Locking device, stainless steel pin & latch line up device under countertop, per unit price (on both ends), SOLID-HD-4CU Tray Slide, customer's side, 32" W x 12 1/4" D, solid stainless steel, on hinged brackets, with (2) 1/8" die-formed rubbing tracks, 442-5S-HD-OP Cutting Board/Shelf, operator's side, 7"D, 18ga stainless steel, (3) hinged brackets, Shelf-mounted flush to counter top, TS540-74 Thurmaduke™ Designer Sneeze Guard, 31 5/8" W x 18 3/8" D x 18" H, self-service style, painted end Panels, 13" wide shelf & 1/4" acrylic end guards, cULus, UL EPH Classified, TS500-SSS Stainless Steel Shelf, in lieu of standard painted steel SCPC Standard Color Powder Coat Paint</p>	Each	\$8,247.56	\$11,718.28	\$12,676.77	\$8,306.00	\$10,125.89	\$11,700.49	\$10,992.00	\$12,423.53
66	<p>Serving Counter, Cold Pan Duke Manufacturing Model TCM-32-N7 Thurmaduke™ Cold Food Unit, mobile, 32"W x 32"D x 34"H, 16ga stainless steel top, NSF 7 stainless steel mechanical cold pan, 8" deep, 28 1/2" x 21 3/4" liner, 1" drain line & valve, 20ga paint grip steel body & undershelf, 5" dia. swivel casters & brakes, 120v/60/1-ph, 4.8 amps, NEMA 5-15P, cULus, UL EPH Classified, Dimensions 36(h) x 32(w) x 32(d) Choice of (12) powder coat paint colors, ILD Internal Locking device, stainless steel pin & latch line up device under countertop, per unit price (on both ends), SOLID-HD-4CU Tray Slide, customer's side, 32" W x 12 1/4" D, solid stainless steel, on hinged brackets, with (2) 1/8" die-formed rubbing tracks, 442-5S-HD-OP Cutting Board/Shelf, operator's side, 7"D, 18ga stainless steel, (3) hinged brackets, Shelf-mounted flush to counter top, TS540-74 Thurmaduke™ Designer Sneeze Guard, 31 5/8" W x 18 3/8" D x 18" H, self-service style, painted end Panels, 13" wide shelf & 1/4" acrylic end guards, cULus, UL EPH Classified, TS500-SSS Stainless Steel Shelf, in lieu of standard painted steel SCPC Standard Color Powder Coat Paint</p>	Each	\$8,247.56	\$11,824.89	\$12,676.77	\$8,306.00	\$10,125.89	\$11,700.49	\$10,992.00	\$12,423.53
67	<p>Serving Counter, Cold Pan Duke Manufacturing Model TCM-46-N7 Thurmaduke™ Cold Food Unit, mobile, 46"W x 32"D x 36"H, 16ga stainless steel top, NSF 7 stainless steel mechanical cold pan, 8" deep, 42 1/2" x 21 3/4" liner, 1" drain line & valve, 20ga paint grip steel body & undershelf, 5" dia. swivel casters & brakes, 120v/60/1-ph, 4.8 amps, NEMA 5-15P, cULus, UL EPH Classified, Dimensions 36(h) x 60(w) x 32(d) Choice of (12) powder coat paint colors, ILD Internal Locking device, stainless steel pin & latch line up device under countertop, per unit price (on both ends), SOLID-HD-4CU Tray Slide, customer's side, 46" W x 12 1/4" D, solid stainless steel, on hinged brackets, with (2) 1/8" die-formed rubbing tracks, 442-5S-HD-OP Cutting Board/Shelf, operator's side, 7"D, 18ga stainless steel, (3) hinged brackets, Shelf-mounted flush to counter top, TS540-46 Thurmaduke™ Designer Sneeze Guard, 45 5/8" W x 18 3/8" D x 18" H, self-service style, painted end Panels, 13" wide shelf & 1/4" acrylic end guards, cULus, UL EPH Classified, TS500-SSS Stainless Steel Shelf, in lieu of standard painted steel SCPC Standard Color Powder Coat Paint</p>	Each	\$9,183.93	\$12,984.08	\$14,076.26	\$9,204.00	\$11,202.05	\$12,906.50	\$12,203.00	\$13,577.21

68	<p>Serving Counter, Cold Pan Duke Manufacturing Model TCM-46-N7</p> <p>Thurmaduke™ Cold Food Unit, mobile, 46"W x 32"D x 34"H, 16ga stainless steel top, NSF 7 stainless steel mechanical cold pan, 8" deep, 42 1/2" x 21 3/4" liner, 1" drain line & valve, 20ga paint grip steel body & undershelf, 5" dia. swivel casters & brakes, 120v/60/1-ph, 4.8 amps, NEMA 5-15P, cULus, UL EPH Classified, Dimensions 36(h) x 60(w) x 32(d) Choice of (12) powder coat paint colors, ILD Internal Locking device, stainless steel pin & latch line up device under countertop, per unit price (on both ends), SOLID-HD-4CU Tray Slide, customer's side, 46" W x 12 1/4" D, solid stainless steel, on hinged brackets, with (2) 1/8" die-formed rubbing tracks, 442-5S-HD-OP Cutting Board/Shelf, operator's side, 7"D, 18ga stainless steel, (3) hinged brackets, Shelf-mounted flush to counter top, TS540-46 Thurmaduke™ Designer Sneeze Guard, 45 5/8" W x 18 3/8" D x 18" H, self-service style, painted end Panels, 13" wide shelf & 1/4" acrylic end guards, cULus, UL EPH Classified, TS500-SSS Stainless Steel Shelf, in lieu of standard painted steel SCPC Standard Color Powder Coat Paint</p>	Each	\$9,183.93	\$12,984.08	\$14,076.26	\$9,204.00	\$11,202.05	\$12,906.50	\$12,203.00	\$13,577.21
69	<p>Serving Counter, Cold Pan Duke Manufacturing Model TCM-60-N7</p> <p>Thurmaduke™ Cold Food Unit, mobile, 60"W x 32"D x 36"H, 16ga stainless steel top, NSF 7 stainless steel mechanical cold pan, 8" deep, 56 1/2" x 21 3/4" liner, 1" drain line & valve, 20ga paint grip steel body & undershelf, 5" dia. swivel casters & brakes, 120v/60/1-ph, 4.8 amps, NEMA 5-15P, cULus, UL EPH Classified, Dimensions 36(h) x 60(w) x 32(d) Choice of (12) powder coat paint colors, ILD Internal Locking device, stainless steel pin & latch line up device under countertop, per unit price (on both ends), SOLID-HD-4CU Tray Slide, customer's side, 60" W x 12 1/4" D, solid stainless steel, on hinged brackets, with (2) 1/8" die-formed rubbing tracks, 442-5S-HD-OP Cutting Board/Shelf, operator's side, 7"D, 18ga stainless steel, (3) hinged brackets, Shelf-mounted flush to counter top, TS540-60 Thurmaduke™ Designer Sneeze Guard, 59 5/8" W x 18 3/8" D x 18" H, self-service style, painted end Panels, 13" wide shelf & 1/4" acrylic end guards, cULus, UL EPH Classified, TS500-SSS Stainless Steel Shelf, in lieu of standard painted steel SCPC Standard Color Powder Coat Paint</p>	Each	\$9,935.09	\$13,979.76	\$15,459.95	\$9,910.00	\$12,209.53	\$14,179.03	\$13,178.00	\$14,620.23
70	<p>Serving Counter, Cold Pan Duke Manufacturing Model TCM-60-N7</p> <p>Thurmaduke™ Cold Food Unit, mobile, 60"W x 32"D x 34"H, 16ga stainless steel top, NSF 7 stainless steel mechanical cold pan, 8" deep, 56 1/2" x 21 3/4" liner, 1" drain line & valve, 20ga paint grip steel body & undershelf, 5" dia. swivel casters & brakes, 120v/60/1-ph, 4.8 amps, NEMA 5-15P, cULus, UL EPH Classified, Dimensions 36(h) x 60(w) x 32(d) Choice of (12) powder coat paint colors, ILD Internal Locking device, stainless steel pin & latch line up device under countertop, per unit price (on both ends), SOLID-HD-4CU Tray Slide, customer's side, 60" W x 12 1/4" D, solid stainless steel, on hinged brackets, with (2) 1/8" die-formed rubbing tracks, 442-5S-HD-OP Cutting Board/Shelf, operator's side, 7"D, 18ga stainless steel, (3) hinged brackets, Shelf-mounted flush to counter top, TS540-60 Thurmaduke™ Designer Sneeze Guard, 59 5/8" W x 18 3/8" D x 18" H, self-service style, painted end Panels, 13" wide shelf & 1/4" acrylic end guards, cULus, UL EPH Classified, TS500-SSS Stainless Steel Shelf, in lieu of standard painted steel SCPC Standard Color Powder Coat Paint</p>	Each	\$9,935.09	\$13,979.76	\$15,459.95	\$9,910.00	\$12,209.53	\$14,179.03	\$13,178.00	\$14,620.23
71	<p>Serving Counter, Cold Pan Duke Manufacturing Model TCM-74-N7</p> <p>Thurmaduke™ Cold Food Unit, mobile, 74"W x 32"D x 36"H, 16ga stainless steel top, NSF 7 stainless steel mechanical cold pan, 8" deep, 70 1/2" x 21 3/4" liner, 1" drain line & valve, 20ga paint grip steel body & undershelf, 5" dia. swivel casters & brakes, 120v/60/1-ph, 4.8 amps, NEMA 5-15P, cULus, UL EPH Classified, Dimensions 36(h) x 74(w) x 32(d) Choice of (12) powder coat paint colors, ILD Internal Locking device, stainless steel pin & latch line up device under countertop, per unit price (on both ends), SOLID-HD-4CU Tray Slide, customer's side, 74" W x 12 1/4" D, solid stainless steel, on hinged brackets, with (2) 1/8" die-formed rubbing tracks, 442-5S-HD-OP Cutting Board/Shelf, operator's side, 7"D, 18ga stainless steel, (3) hinged brackets, Shelf-mounted flush to counter top, TS540-74 Thurmaduke™ Designer Sneeze Guard, 73 5/8" W x 18 3/8" D x 18" H, self-service style, painted end Panels, 13" wide shelf & 1/4" acrylic end guards, cULus, UL EPH Classified, TS500-SSS Stainless Steel Shelf, in lieu of standard painted steel SCPC Standard Color Powder Coat Paint</p>	Each	\$11,556.17	\$16,239.16	\$17,813.20	\$11,511.00	\$13,848.78	\$16,405.37	\$15,262.00	\$16,601.99

72	Serving Counter, Cold Pan Duke Manufacturing Model TCM-74-N7 Thurmaduke™ Cold Food Unit, mobile, 74"W x 32"D x 34"H, 16ga stainless steel top, NSF 7 stainless steel mechanical cold pan, 8" deep, 70 ½" x 21 ¼" liner, 1" drain line & valve, 20ga paint grip steel body & undershelf, 5" dia. swivel casters & brakes, 120v/60/1-ph, 4.8 amps, NEMA 5-15P, cULus, UL EPH Classified, Dimensions 36(h) x 74(w) x 32(d) Choice of (12) powder coat paint colors, ILD Internal Locking device, stainless steel pin & latch line up device under countertop, per unit price (on both ends), SOLID-HD-4CU Tray Slide, customer's side, 74" W x 12 ¼" D, solid stainless steel, on hinged brackets, with (2) 1/8" die-formed rubbing tracks, 442-5S-HD-OP Cutting Board/Shelf, operator's side, 7"D, 18ga stainless steel, (3) hinged brackets, Shelf-mounted flush to counter top, TS540-74 Thurmaduke™ Designer Sneeze Guard, 73 5/8" W x 18 3/8" D x 18" H, self-service style, painted end Panels, 13" wide shelf & ¼" acrylic end guards, cULus, UL EPH Classified, TS500-SSS Stainless Steel Shelf, in lieu of standard painted steel SCPC Standard Color Powder Coat Paint	Each	\$11,556.17	\$16,239.16	\$17,813.20	\$17,055.00	\$13,848.78	\$16,405.37	\$15,262.00	\$16,601.99
73	Cash Register Stand Duke Manufacturing Model TCS-30 Thurmaduke Serving System - Cashier Stand 30"L, 32"W, 36"H, Top shall be 16ga, 300 Series stainless steel flanged down edges, flush at ends Sound-deadening, Body shall be 20ga stainless steel with partial undershelf Choice of (12) powder coat paint colors, Stainless steel tubular foot rest Operator's side open to foot rest, End and side opposite operator fully enclosed End panels die-formed into channels, NSF listed, 5" diameter polyurethane swivel casters, 2 with brakes Trayslides, Electric outlets, 10' power cord and plug	Each	\$3,422.76	\$2,865.92	\$3,591.39	\$3,010.00	\$3,589.48	\$3,782.29	\$3,217.00	\$4,521.15
74	Bun Pan Rack CresCor Model 207-UA-13A Rack, Mobile Utility, full height open sides, (13) universal slides on 4-1/2" centers, multi-purpose, adjustable at 1-1/2" intervals, welded extruded aluminum frame, end loading	Each	\$1,103.57	\$1,300.00	\$1,582.56	\$961.00	\$890.84	\$1,032.70	\$1,376.00	\$1,234.43
75	Bun Pan Rack CresCor Model 207-1820 Rack, Mobile Utility, full height, open sides, with angle slides for (40) 14" x 18" or (20) 18" x 26" pans, slides on 3" centers, welded extruded, aluminum frame, end loading	Each	\$779.74	\$1,050.00	\$1,338.88	\$680.00	\$630.10	\$758.26	\$1,120.00	\$1,493.88
76	Bun Pan Rack Piper Products/Servolift Eastern Model A72-1826-20 Pan rack, mobile, full height, open sides, with slides for (20) 18" x 26" pans, slides on approximately 3" centers, welded extruded aluminum frame, end loading, 5" swivel casters	Each	\$767.60	\$1,300.00	\$1,780.74	\$981.00	\$332.42	\$1,496.64	\$1,618.00	\$1,493.88

77	Washer Model No.MVW4505MW Washer 4.5 Cu Ft New hot and cold 6 ft. industrial braided fill hose burst proof Power cord, drain hose	Each	\$1,022.99	\$1,250.00	\$0.00	\$989.00	\$739.80	no bid	\$2,386.00	\$1,180.60
78	Dryer Model No. MED4500MW 7.0 Cu Ft New power cord, new exhaust vent hose	Each	\$1,038.56	\$1,250.00	\$0.00	\$989.00	\$739.80	no bid	\$2,386.00	\$1,180.60

Recommendation: The following line item lowest, responsive and responsible bidders; except for line items 15 and 47.

- Boelter: 15, 65-68; and 72.
- Culinary Depot (Chef's Depot): 16, 20, 23, 24, 33, 41, 48 and 73.
- Douglas Equip (Douglas Food) : 2, 4, 8, 10, 14, 29, 31, 32, 35-37 and 44.
- Owens Equip: 34, 38, 40, 42, 43, 45, 47, 49-64 and 69-71.
- Sam Tell and Son: 6, 12, 13, 17-19, 21, 22, 25-28, 46 and 74-78.
- Southeastern Paper Group (none).
- Stafford Smith) (none).
- Superior Equip & Supply: 1, 3, 5, 7, 9, 11, 30 and 39.

Line 15: Culinary Depot (Chef's Depot) - unit's width is 60" (DCSD prefers 50" or less.) Boelter - unit's width is 47 3/4".