



10/20/2025

Quote

Project: (RENEWAL) Dekalb Co. Schools - ITB
25-27 School Nutrition Large
Equipment

From: Owens Equipment Co., Inc.
Trese Robertson
305-G Petty Road
Lawrenceville, GA 30043
678-985-3882

Job Reference Number:
50573

Thank you for the opportunity to quote this project for you.
This quote has been prepared based on either written specifications/request, equipment schedule, serial number or floor plans. It is the responsibility of the customer to verify all measurements, direction of operation, voltages and utility specifications prior to ordering to ensure accuracy.

Item	Qty	Description	Sell	Sell Total
34	1 ea	EQUIPMENT STAND AccuTemp SNH-23-01 Support Stand, for double stacked Steam'N'Hold™ or Evolution units, Ergo-low mounting height: 8-7/8" lowest unit height, stainless steel, with flanged feet Weight: 64 lbs total	\$1,773.00	\$1,773.00
38	2 ea	COMBI OVEN, GAS UNOX USA XAVC-06FS-GPRM ChefTop MIND.Maps™ Plus Combi Oven/Steam Oven is a gas countertop oven that combines heat, hot air flow and steam. (6) 18" x 26" full size sheet or (12) hotel size pan capacity, MIND.Maps™ technology, programmable menu, 2-11/16" shelf spacing, glass door, right-to-left door opening, stainless steel interior & exterior, WIFI/USB for data transfer to HACCP software, 1kW, 8 amps, 120v/60/1-ph, cETLus, NSF, ENERGY STAR® (cooking chamber built from 316L stainless steel)	\$19,234.50	\$38,469.00

Item	Qty	Description	Sell	Sell Total
		(For safety and reliability purposes, CHEFTOP MIND.Maps™ Gas ovens (Free Standing and Countertop Models) must be equipped with only UNOX brand casters with safety chains), Gas lines is not included with the oven and must be purchased separately. Ovens come standard with rack slides for sheet pans.		
	1 ea	INSTALL FORM End User Data & Installation Confirmation Form		
	1 ea	2 Year parts and 1 year labor warranty standard		
	2 ea	Installation includes travel within a 100-mile radius (200 miles round trip) of the UNOX approved installer (two trips), Pre-installation site inspection*, Assembly of the unit and UNOX accessories, Placement and leveling of the unit, Connection to utilities within 3 feet of final unit placement, Mechanical / Electrical Start-up and unit calibration, and Operational / Functional Test		
	2 ea	Natural gas		
	1 ea	XAAQC-00E2-G Stacking Kit for ChefTop MIND.Maps™ Plus, includes installation kits and stacking parts for stacking two ovens, for gas ovens including floor stand (XWARC-00-EF-F) and casters (XUC012)		
	2 ea	It is the sole responsibility of the owner/operator/purchaser of this equipment to verify that the incoming water supply is comprehensively tested (Free Chlorine, Chloramine, TDS (Total Dissolved Solids), Silica, pH, TH (Total Hardness), Chlorides & Alkalinity) & if required, provide a means of water treatment that would meet the minimum requirements of the manufacturer's water quality standards as outlined on the product spec sheet. Non-compliance with these minimum standards will potentially damage this equipment and/or components & VOID the original equipment manufacturer's warranty		
	2 ea	XHC012 UNOX.Finest Filtering System, reduces carbonate hardness of water, ChefTouch™ monitors water consumption and notifies user to replace cartridge		
	1 ea	XHC001 Hand Shower Kit, suitable for all models		
	10 ea	GRP560 CHROMO.GRID, 18"x26", stainless steel		
40	1 ea	WATER FILTER ASSEMBLY Custom 106221 PURITY Mavea Model No. 106221 PURITY 1200 ST Complete, Filter Vessel, includes cartridge and digital Head (MDU), 6,816 gallons capacity at 5GPG, blended bypass, scale, taste & odor reduction, uses Decarbonization process, with IntelliBypass, adjustable bypass setting allows for a 0%to 50% blend, vertical or horizontal operation (1 per pack)	\$1,881.00	\$1,881.00
42	1 ea	KNOCKOUT BRACKET Custom 315758 NO BID - Item is not longer available. 315758 Knockout Bracket with Steplug Purity 1200		
43	1 ea	COMMERCIAL FOOD BLENDER Waring CB15 Food Blender, heavy-duty, 14-7/8"W x 15"D x 26"H, (1) gallon capacity, electronic membrane keypad, 3-speed with plus pulse, removable stainless steel container with (2) handles, clear lid, die cast base, 3-3/4 HP, 120v/60/1-ph, 15 amps, cETLus, NSF, Made in USA	\$1,793.00	\$1,793.00
	1 ea	3 year limited warranty on motor; and 2 year parts & labor warranty, standard Weight: 38 lbs total		
45	1 ea	ICE MAKER, CUBE-STYLE Manitowoc IDT0300A Indigo NXT™ Series Ice Maker, cube-style, air-cooled, self-contained condenser, 30"W x 24-1/2"D x 16-1/2"H, production capacity up to 305 lb./24 hours at 70°/50° (230 lb. AHRI certified at 90°/70°), easyTouch display with 13 different language options, date/time stamp display, automatic reminder/alert icon, one	\$4,596.00	\$4,596.00

Item	Qty	Description	Sell	Sell Total
		touch asset information, automatic detection of accessories, continuous operating status, programmable production options (time, weight, day or night), one touch cleaning with displayed instructions, Alpha-San anti-microbial protection, acoustical ice sensing probe, self-diagnostic technology, DuraTech™ exterior, dice size cubes, R410a refrigerant, NSF, cULus, CE, ENERGY STAR®		
	1 ea	WARRANTY-ICE-SC 3 year parts & labor (Machine), 5 year parts & labor (Evaporator), 5 year parts & 3 years labor (Compressor), standard		
	1 ea	(-161) 115v/60/1-ph		
	1 ea	D400 Ice Bin, 30"W x 34"D x 38"H, with side-hinged front-opening door, side grips, 365 lbs. application capacity, AHRI certified 12.3 cu. ft., for top-mounted ice maker, Duratech exterior, NSF		
	1 ea	WARRANTY-BIN/DISP 3 year parts & labor warranty, standard		
	1 ea	Legs, 6" adjustable stainless steel, standard		
		Weight: 233 lbs total		
47	1 ea	ICE BIN FOR ICE MACHINES	\$1,468.00	\$1,468.00
		Scotsman B322S		
		Ice Bin, top-hinged front-opening door, 370 lb application capacity, for top-mounted ice maker, 22" width, metallic finish exterior, toolless removable baffle, polyurethane insulation, polyethylene liner, includes 6" legs, NSF, engineered and assembled in USA		
	1 ea	NOTE: Sale of this product must comply with Scotsman's MSRP Policy; contact your Scotsman representative for details		
	1 ea	3 year parts & labor warranties		
		Weight: 140 lbs total		
49	1 ea	SERVING COUNTER, UTILITY	\$4,337.00	\$4,337.00
		Duke Manufacturing TST-32PG		
		Thurmaduke™ Solid Top Unit, mobile utility counter, 32"W x 32"D x 36"H, 16ga stainless steel top, 20ga paint grip steel body & undershelves, 5" dia. gray poly swivel casters & brakes, NSF		
	1 ea	PH_PAINT Powder Coat color to be determined		
	1 ea	ILD Internal Locking Device (on both ends), stainless steel pin & latch line up device under countertop, per unit price (Note: Units required to be portable)		
	1 ea	SOLID-HD-2CU Tray Slide, customer's side, 32" W x 12-1/4" D, solid stainless steel, on hinged brackets, with (2) 1/8" die-formed rubbing tracks, & mounted 34" high (specify any special height)		
	1 ea	TS540-32 Thurmaduke™ Designer Sneeze Guard, 31-3/4"W x 13"D x 18"H, self-service style, painted end panels, 13" wide shelf & 1/4" acrylic end guards, cULus, UL EPH Classified		
	1 ea	SSS Stainless Steel Shelf, in lieu of standard painted steel		
	1 ea	SSE Stainless Steel Ends, in lieu of standard painted steel		
		Weight: 300 lbs total		
50	1 ea	SERVING COUNTER, UTILITY	\$4,337.00	\$4,337.00
		Duke Manufacturing TST-32PG		
		Thurmaduke™ Solid Top Unit, mobile utility counter, 32"W x 32"D x 36"H, 16ga stainless steel top, 20ga paint grip steel body & undershelves, 5" dia. gray poly swivel casters & brakes, NSF		
	1 ea	PH_PAINT Powder Coat color to be determined		
	1 ea	ILD Internal Locking Device (on both ends), stainless steel pin & latch line up device under countertop, per unit price (Note: Units required to be portable)		
	1 ea	SOLID-HD-2CU Tray Slide, customer's side, 32" W x 12-1/4" D, solid stainless steel, on hinged brackets, with (2) 1/8" die-formed rubbing tracks, & mounted 34" high (specify any special height)		

Item	Qty	Description	Sell	Sell Total
	1 ea	TS540-32 Thurmaduke™ Designer Sneeze Guard, 31-3/4"W x 13"D x 18"H, self-service style, painted end panels, 13" wide shelf & 1/4" acrylic end guards, cULus, UL EPH Classified		
	1 ea	SSS Stainless Steel Shelf, in lieu of standard painted steel		
	1 ea	SSE Stainless Steel Ends, in lieu of standard painted steel		
		Weight: 300 lbs total		
51	1 ea	SERVING COUNTER, UTILITY Duke Manufacturing TST-46PG Thurmaduke™ Solid Top Unit, mobile utility counter, 46"W x 32"D x 36"H, 16ga stainless steel top, 20ga paint grip steel body & undershelves, 5" dia. gray poly swivel casters & brakes, NSF	\$4,912.00	\$4,912.00
	1 ea	PH_PAINT Powder Coat color to be determined		
	1 ea	ILD Internal Locking Device (on both ends), stainless steel pin & latch line up device under countertop, per unit price (Note: Units required to be portable)		
	1 ea	SOLID-HD-3CU Tray Slide, customer's side, 46" W x 12-1/4" D, solid stainless steel, on hinged brackets, with (2) 1/8" die-formed rubbing tracks, & mounted 34" high (specify any special height)		
	1 ea	TS540-46 Thurmaduke™ Designer Sneeze Guard, 45-3/4"W x 13"D x 18"H, self-service style, painted end panels, 13" wide shelf & 1/4" acrylic end guards, cULus, UL EPH Classified		
	1 ea	SSS Stainless Steel Shelf, in lieu of standard painted steel		
	1 ea	SSE Stainless Steel Ends, in lieu of standard painted steel		
		Weight: 391 lbs total		
52	1 ea	SERVING COUNTER, UTILITY Duke Manufacturing TST-46PG Thurmaduke™ Solid Top Unit, mobile utility counter, 46"W x 32"D x 36"H, 16ga stainless steel top, 20ga paint grip steel body & undershelves, 5" dia. gray poly swivel casters & brakes, NSF	\$4,912.00	\$4,912.00
	1 ea	PH_PAINT Powder Coat color to be determined		
	1 ea	ILD Internal Locking Device (on both ends), stainless steel pin & latch line up device under countertop, per unit price (Note: Units required to be portable)		
	1 ea	SOLID-HD-3CU Tray Slide, customer's side, 46" W x 12-1/4" D, solid stainless steel, on hinged brackets, with (2) 1/8" die-formed rubbing tracks, & mounted 34" high (specify any special height)		
	1 ea	TS540-46 Thurmaduke™ Designer Sneeze Guard, 45-3/4"W x 13"D x 18"H, self-service style, painted end panels, 13" wide shelf & 1/4" acrylic end guards, cULus, UL EPH Classified		
	1 ea	SSS Stainless Steel Shelf, in lieu of standard painted steel		
	1 ea	SSE Stainless Steel Ends, in lieu of standard painted steel		
		Weight: 391 lbs total		
53	1 ea	SERVING COUNTER, UTILITY Duke Manufacturing TST-60PG Thurmaduke™ Solid Top Unit, mobile utility counter, 60"W x 32"D x 36"H, 16ga stainless steel top, 20ga paint grip steel body & undershelves, 5" dia. gray poly swivel casters & brakes, NSF	\$5,567.00	\$5,567.00
	1 ea	PH_PAINT Powder Coat color to be determined		
	1 ea	ILD Internal Locking Device (on both ends), stainless steel pin & latch line up device under countertop, per unit price (Note: Units required to be portable)		
	1 ea	SOLID-HD-4CU Tray Slide, customer's side, 60" W x 12-1/4" D, solid stainless steel, on hinged brackets, with (2) 1/8" die-formed rubbing tracks, & mounted 34" high (specify any special height)		

Item	Qty	Description	Sell	Sell Total
	1 ea	TS540-60 Thurmaduke™ Designer Sneeze Guard, 59-3/4"W x 13"D x 18"H, self-service style, painted end panels, 13" wide shelf & 1/4" acrylic end guards, cULus, UL EPH Classified		
	1 ea	SSS Stainless Steel Shelf, in lieu of standard painted steel		
	1 ea	SSE Stainless Steel Ends, in lieu of standard painted steel		
		Weight: 476 lbs total		
54	1 ea	SERVING COUNTER, UTILITY Duke Manufacturing TST-60PG Thurmaduke™ Solid Top Unit, mobile utility counter, 60"W x 32"D x 36"H, 16ga stainless steel top, 20ga paint grip steel body & undershelves, 5" dia. gray poly swivel casters & brakes, NSF	\$5,567.00	\$5,567.00
	1 ea	PH_PAINT Powder Coat color to be determined		
	1 ea	ILD Internal Locking Device (on both ends), stainless steel pin & latch line up device under countertop, per unit price (Note: Units required to be portable)		
	1 ea	SOLID-HD-4CU Tray Slide, customer's side, 60" W x 12-1/4" D, solid stainless steel, on hinged brackets, with (2) 1/8" die-formed rubbing tracks, & mounted 34" high (specify any special height)		
	1 ea	TS540-60 Thurmaduke™ Designer Sneeze Guard, 59-3/4"W x 13"D x 18"H, self-service style, painted end panels, 13" wide shelf & 1/4" acrylic end guards, cULus, UL EPH Classified		
	1 ea	SSS Stainless Steel Shelf, in lieu of standard painted steel		
	1 ea	SSE Stainless Steel Ends, in lieu of standard painted steel		
		Weight: 476 lbs total		
55	1 ea	SERVING COUNTER, UTILITY Duke Manufacturing TST-74PG Thurmaduke™ Solid Top Unit, mobile utility counter, 74"W x 32"D x 36"H, 16ga stainless steel top, 20ga paint grip steel body & undershelves, 5" dia. gray poly swivel casters & brakes, NSF	\$6,957.00	\$6,957.00
	1 ea	PH_PAINT Powder Coat color to be determined		
	1 ea	ILD Internal Locking Device (on both ends), stainless steel pin & latch line up device under countertop, per unit price (Note: Units required to be portable)		
	1 ea	SOLID-HD-5CU Tray Slide, customer's side, 74" W x 12-1/4" D, solid stainless steel, on hinged brackets, with (2) 1/8" die-formed rubbing tracks, & mounted 34" high (specify any special height)		
	1 ea	TS540-74 Thurmaduke™ Designer Sneeze Guard, 73-3/4"W x 13"D x 18"H, self-service style, painted end panels, 13" wide shelf & 1/4" acrylic end guards, cULus, UL EPH Classified		
	1 ea	SSS Stainless Steel Shelf, in lieu of standard painted steel		
	1 ea	SSE Stainless Steel Ends, in lieu of standard painted steel		
		Weight: 560 lbs total		
56	1 ea	SERVING COUNTER, UTILITY Duke Manufacturing TST-74PG Thurmaduke™ Solid Top Unit, mobile utility counter, 74"W x 32"D x 36"H, 16ga stainless steel top, 20ga paint grip steel body & undershelves, 5" dia. gray poly swivel casters & brakes, NSF	\$6,957.00	\$6,957.00
	1 ea	PH_PAINT Powder Coat color to be determined		
	1 ea	ILD Internal Locking Device (on both ends), stainless steel pin & latch line up device under countertop, per unit price (Note: Units required to be portable)		
	1 ea	SOLID-HD-5CU Tray Slide, customer's side, 74" W x 12-1/4" D, solid stainless steel, on hinged brackets, with (2) 1/8" die-formed rubbing tracks, & mounted 34" high (specify any special height)		

Item	Qty	Description	Sell	Sell Total
	1 ea	TS540-74 Thurmaduke™ Designer Sneeze Guard, 73-3/4"W x 13"D x 18"H, self-service style, painted end panels, 13" wide shelf & 1/4" acrylic end guards, cULus, UL EPH Classified		
	1 ea	SSS Stainless Steel Shelf, in lieu of standard painted steel		
	1 ea	SSE Stainless Steel Ends, in lieu of standard painted steel		
		Weight: 560 lbs total		
57	1 ea	HOT FOOD SERVING COUNTER / TABLE Duke Manufacturing TEHF-32PG Thurmaduke Hot Food Unit, mobile, 32"W X 32"D X 36"H, 16ga stainless steel top, (2) sealed hot food wells, 1" drain line & valve, paint grip steel body & undershelf, 5" swivel casters & brakes, 6 ft cord and plug, cULus, EPH Classified	\$6,514.00	\$6,514.00
	1 ea	TEHF32-208-1 208v/60/1-ph, 1800 watts, 8.7 amps		
	1 ea	PH_PAINT Powder Coat color to be determined		
	1 ea	ILD Internal Locking Device (on both ends), stainless steel pin & latch line up device under countertop, per unit price (Note: Units required to be portable)		
	1 ea	SOLID-HD-2CU Tray Slide, customer's side, 32" W x 12-1/4" D, solid stainless steel, on hinged brackets, with (2) 1/8" die-formed rubbing tracks, & mounted 34" high (specify any special height)		
	1 ea	TS540-32 Thurmaduke™ Designer Sneeze Guard, 31-3/4"W x 13"D x 18"H, self-service style, painted end panels, 13" wide shelf & 1/4" acrylic end guards, cULus, UL EPH Classified		
	1 ea	SSS Stainless Steel Shelf, in lieu of standard painted steel		
	1 ea	SSE Stainless Steel Ends, in lieu of standard painted steel		
		Weight: 338 lbs total		
58	1 ea	HOT FOOD SERVING COUNTER / TABLE Duke Manufacturing TEHF-32PG Thurmaduke Hot Food Unit, mobile, 32"W X 32"D X 36"H, 16ga stainless steel top, (2) sealed hot food wells, 1" drain line & valve, paint grip steel body & undershelf, 5" swivel casters & brakes, 6 ft cord and plug, cULus, EPH Classified	\$6,514.00	\$6,514.00
	1 ea	TEHF32-208-1 208v/60/1-ph, 1800 watts, 8.7 amps		
	1 ea	PH_PAINT Powder Coat color to be determined		
	1 ea	ILD Internal Locking Device (on both ends), stainless steel pin & latch line up device under countertop, per unit price (Note: Units required to be portable)		
	1 ea	SOLID-HD-2CU Tray Slide, customer's side, 32" W x 12-1/4" D, solid stainless steel, on hinged brackets, with (2) 1/8" die-formed rubbing tracks, & mounted 34" high (specify any special height)		
	1 ea	TS540-32 Thurmaduke™ Designer Sneeze Guard, 31-3/4"W x 13"D x 18"H, self-service style, painted end panels, 13" wide shelf & 1/4" acrylic end guards, cULus, UL EPH Classified		
	1 ea	SSS Stainless Steel Shelf, in lieu of standard painted steel		
	1 ea	SSE Stainless Steel Ends, in lieu of standard painted steel		
		Weight: 338 lbs total		
59	1 ea	HOT FOOD SERVING COUNTER / TABLE Duke Manufacturing TEHF-46PG Thurmaduke Hot Food Unit, mobile, 46"W X 32"D X 36"H, 16ga stainless steel top, (3) sealed hot food wells, 1" drain line & valve, paint grip steel body & undershelf, 5" swivel casters & brakes, 6 ft cord and plug, cULus, EPH Classified	\$7,653.00	\$7,653.00
	1 ea	TEHF46-208-1 208v/60/1-ph, 2700 watts, 13.0 amps		
	1 ea	PH_PAINT Powder Coat color to be determined		
	1 ea	ILD Internal Locking Device (on both ends), stainless steel pin & latch line up device under countertop, per unit price (Note: Units required to be portable)		

Item	Qty	Description	Sell	Sell Total
	1 ea	SOLID-HD-3CU Tray Slide, customer's side, 46" W x 12-1/4" D, solid stainless steel, on hinged brackets, with (2) 1/8" die-formed rubbing tracks, & mounted 34" high (specify any special height)		
	1 ea	TS540-46 Thurmaduke™ Designer Sneeze Guard, 45-3/4"W x 13"D x 18"H, self-service style, painted end panels, 13" wide shelf & 1/4" acrylic end guards, cULus, UL EPH Classified		
	1 ea	SSS Stainless Steel Shelf, in lieu of standard painted steel		
	1 ea	SSE Stainless Steel Ends, in lieu of standard painted steel		
		Weight: 404 lbs total		
60	1 ea	HOT FOOD SERVING COUNTER / TABLE Duke Manufacturing TEHF-46PG Thurmaduke Hot Food Unit, mobile, 46"W X 32"D X 36"H, 16ga stainless steel top, (3) sealed hot food wells, 1" drain line & valve, paint grip steel body & undershelf, 5" swivel casters & brakes, 6 ft cord and plug, cULus, EPH Classified	\$7,653.00	\$7,653.00
	1 ea	TEHF46-208-1 208v/60/1-ph, 2700 watts, 13.0 amps		
	1 ea	PH_PAINT Powder Coat color to be determined		
	1 ea	ILD Internal Locking Device (on both ends), stainless steel pin & latch line up device under countertop, per unit price (Note: Units required to be portable)		
	1 ea	SOLID-HD-3CU Tray Slide, customer's side, 46" W x 12-1/4" D, solid stainless steel, on hinged brackets, with (2) 1/8" die-formed rubbing tracks, & mounted 34" high (specify any special height)		
	1 ea	TS540-46 Thurmaduke™ Designer Sneeze Guard, 45-3/4"W x 13"D x 18"H, self-service style, painted end panels, 13" wide shelf & 1/4" acrylic end guards, cULus, UL EPH Classified		
	1 ea	SSS Stainless Steel Shelf, in lieu of standard painted steel		
	1 ea	SSE Stainless Steel Ends, in lieu of standard painted steel		
		Weight: 404 lbs total		
61	1 ea	HOT FOOD SERVING COUNTER / TABLE Duke Manufacturing TEHF-60PG Thurmaduke Hot Food Unit, mobile, 60"W X 32"D X 36"H, 16ga stainless steel top, (4) sealed hot food wells, 1" drain line & valve, paint grip steel body & undershelf, 5" swivel casters & brakes, 6 ft cord and plug, cULus, EPH Classified	\$8,801.00	\$8,801.00
	1 ea	TEHF60-208-1 208v/60/1-ph, 3600 watts, 17.3 amps		
	1 ea	PH_PAINT Powder Coat color to be determined		
	1 ea	ILD Internal Locking Device (on both ends), stainless steel pin & latch line up device under countertop, per unit price (Note: Units required to be portable)		
	1 ea	SOLID-HD-4CU Tray Slide, customer's side, 60" W x 12-1/4" D, solid stainless steel, on hinged brackets, with (2) 1/8" die-formed rubbing tracks, & mounted 34" high (specify any special height)		
	1 ea	TS540-60 Thurmaduke™ Designer Sneeze Guard, 59-3/4"W x 13"D x 18"H, self-service style, painted end panels, 13" wide shelf & 1/4" acrylic end guards, cULus, UL EPH Classified		
	1 ea	SSS Stainless Steel Shelf, in lieu of standard painted steel		
	1 ea	SSE Stainless Steel Ends, in lieu of standard painted steel		
		Weight: 496 lbs total		
62	1 ea	HOT FOOD SERVING COUNTER / TABLE Duke Manufacturing TEHF-60PG Thurmaduke Hot Food Unit, mobile, 60"W X 32"D X 36"H, 16ga stainless steel top, (4) sealed hot food wells, 1" drain line & valve, paint grip steel body & undershelf, 5" swivel casters & brakes, 6 ft cord and plug, cULus, EPH Classified	\$8,801.00	\$8,801.00
	1 ea	TEHF60-208-1 208v/60/1-ph, 3600 watts, 17.3 amps		

Item	Qty	Description	Sell	Sell Total
	1 ea	PH_PAINT Powder Coat color to be determined		
	1 ea	ILD Internal Locking Device (on both ends), stainless steel pin & latch line up device under countertop, per unit price (Note: Units required to be portable)		
	1 ea	SOLID-HD-4CU Tray Slide, customer's side, 60" W x 12-1/4" D, solid stainless steel, on hinged brackets, with (2) 1/8" die-formed rubbing tracks, & mounted 34" high (specify any special height)		
	1 ea	TS540-60 Thurmaduke™ Designer Sneeze Guard, 59-3/4"W x 13"D x 18"H, self-service style, painted end panels, 13" wide shelf & 1/4" acrylic end guards, cULus, UL EPH Classified		
	1 ea	SSS Stainless Steel Shelf, in lieu of standard painted steel		
	1 ea	SSE Stainless Steel Ends, in lieu of standard painted steel		
		Weight: 496 lbs total		
63	1 ea	HOT FOOD SERVING COUNTER / TABLE Duke Manufacturing TEHF-74PG Thurmaduke Hot Food Unit, mobile, 74"W X 32"D X 36"H, 16ga stainless steel top, (5) sealed hot food wells, 1" drain line & valve, paint grip steel body & undershelf, 5" swivel casters & brakes, 6 ft cord and plug, cULus, EPH Classified	\$10,845.00	\$10,845.00
	1 ea	TEHF74-208-1 208v/60/1-ph, 4500 watts, 21.6 amps		
	1 ea	PH_PAINT Powder Coat color to be determined		
	1 ea	ILD Internal Locking Device (on both ends), stainless steel pin & latch line up device under countertop, per unit price (Note: Units required to be portable)		
	1 ea	SOLID-HD-5CU Tray Slide, customer's side, 74" W x 12-1/4" D, solid stainless steel, on hinged brackets, with (2) 1/8" die-formed rubbing tracks, & mounted 34" high (specify any special height)		
	1 ea	TS540-74 Thurmaduke™ Designer Sneeze Guard, 73-3/4"W x 13"D x 18"H, self-service style, painted end panels, 13" wide shelf & 1/4" acrylic end guards, cULus, UL EPH Classified		
	1 ea	SSS Stainless Steel Shelf, in lieu of standard painted steel		
	1 ea	SSE Stainless Steel Ends, in lieu of standard painted steel		
		Weight: 596 lbs total		
64	1 ea	HOT FOOD SERVING COUNTER / TABLE Duke Manufacturing TEHF-74PG Thurmaduke Hot Food Unit, mobile, 74"W X 32"D X 36"H, 16ga stainless steel top, (5) sealed hot food wells, 1" drain line & valve, paint grip steel body & undershelf, 5" swivel casters & brakes, 6 ft cord and plug, cULus, EPH Classified	\$10,845.00	\$10,845.00
	1 ea	TEHF74-208-1 208v/60/1-ph, 4500 watts, 21.6 amps		
	1 ea	PH_PAINT Powder Coat color to be determined		
	1 ea	ILD Internal Locking Device (on both ends), stainless steel pin & latch line up device under countertop, per unit price (Note: Units required to be portable)		
	1 ea	SOLID-HD-5CU Tray Slide, customer's side, 74" W x 12-1/4" D, solid stainless steel, on hinged brackets, with (2) 1/8" die-formed rubbing tracks, & mounted 34" high (specify any special height)		
	1 ea	TS540-74 Thurmaduke™ Designer Sneeze Guard, 73-3/4"W x 13"D x 18"H, self-service style, painted end panels, 13" wide shelf & 1/4" acrylic end guards, cULus, UL EPH Classified		
	1 ea	SSS Stainless Steel Shelf, in lieu of standard painted steel		
	1 ea	SSE Stainless Steel Ends, in lieu of standard painted steel		
		Weight: 596 lbs total		
69	1 ea	SERVING COUNTER, COLD FOOD Duke Manufacturing TCM-60PG-N7 Thurmaduke™ Cold Food Unit, mobile, 60"W x 32"D x 36"H, 16ga stainless steel	\$10,766.00	\$10,766.00

Item	Qty	Description	Sell	Sell Total
		top, NSF 7 stainless steel mechanical cold pan, 8" deep, touchscreen control (for optional mechanical control, see configuration options), 56-1/2" x 21-3/4" liner, 1" drain line & valve, hinged paint grip steel louvered grill, paint grip steel body & undershelf, 5" dia. swivel casters & brakes, 120v/60/1-ph, 6.9 amps, NEMA 5-15, cULus, UL EPH Classified		
	1 ea	PH_PAINT Powder Coat color to be determined		
	1 ea	ILD Internal Locking Device (on both ends), stainless steel pin & latch line up device under countertop, per unit price (Note: Units required to be portable)		
	1 ea	SOLID-HD-4CU Tray Slide, customer's side, 60" W x 12-1/4" D, solid stainless steel, on hinged brackets, with (2) 1/8" die-formed rubbing tracks, & mounted 34" high (specify any special height)		
	1 ea	TS540-60 Thurmaduke™ Designer Sneeze Guard, 59-3/4"W x 13"D x 18"H, self-service style, painted end panels, 13" wide shelf & 1/4" acrylic end guards, cULus, UL EPH Classified		
	1 ea	SSS Stainless Steel Shelf, in lieu of standard painted steel		
	1 ea	SSE Stainless Steel Ends, in lieu of standard painted steel		
		Weight: 521 lbs total		
70	1 ea	SERVING COUNTER, COLD FOOD Duke Manufacturing TCM-60PG-N7 Thurmaduke™ Cold Food Unit, mobile, 60"W x 32"D x 36"H, 16ga stainless steel top, NSF 7 stainless steel mechanical cold pan, 8" deep, touchscreen control (for optional mechanical control, see configuration options), 56-1/2" x 21-3/4" liner, 1" drain line & valve, hinged paint grip steel louvered grill, paint grip steel body & undershelf, 5" dia. swivel casters & brakes, 120v/60/1-ph, 6.9 amps, NEMA 5-15, cULus, UL EPH Classified	\$10,766.00	\$10,766.00
	1 ea	PH_PAINT Powder Coat color to be determined		
	1 ea	ILD Internal Locking Device (on both ends), stainless steel pin & latch line up device under countertop, per unit price (Note: Units required to be portable)		
	1 ea	SOLID-HD-4CU Tray Slide, customer's side, 60" W x 12-1/4" D, solid stainless steel, on hinged brackets, with (2) 1/8" die-formed rubbing tracks, & mounted 34" high (specify any special height)		
	1 ea	TS540-60 Thurmaduke™ Designer Sneeze Guard, 59-3/4"W x 13"D x 18"H, self-service style, painted end panels, 13" wide shelf & 1/4" acrylic end guards, cULus, UL EPH Classified		
	1 ea	SSS Stainless Steel Shelf, in lieu of standard painted steel		
	1 ea	SSE Stainless Steel Ends, in lieu of standard painted steel		
		Weight: 521 lbs total		
71	1 ea	SERVING COUNTER, COLD FOOD Duke Manufacturing TCM-74PG-N7 Thurmaduke™ Cold Food Unit, mobile, 74"W x 32"D x 36"H, 16ga stainless steel top, NSF 7 stainless steel mechanical cold pan, 8" deep, touchscreen control (for optional mechanical control, see configuration options), 70-1/2" x 21-3/4" liner, 1" drain line & valve, hinged paint grip steel louvered grill, paint grip steel body & undershelf, 5" dia. swivel casters & brakes, 120v/60/1-ph, 6.9 amps, NEMA 5-15, cULus, UL EPH Classified	\$12,493.00	\$12,493.00
	1 ea	PH_PAINT Powder Coat color to be determined		
	1 ea	ILD Internal Locking Device (on both ends), stainless steel pin & latch line up device under countertop, per unit price (Note: Units required to be portable)		
	1 ea	SOLID-HD-5CU Tray Slide, customer's side, 74" W x 12-1/4" D, solid stainless steel, on hinged brackets, with (2) 1/8" die-formed rubbing tracks, & mounted 34" high (specify any special height)		
	1 ea	TS540-74 Thurmaduke™ Designer Sneeze Guard, 73-3/4"W x 13"D x 18"H, self-		

Item	Qty	Description	Sell	Sell Total
		service style, painted end panels, 13" wide shelf & 1/4" acrylic end guards, cULus, UL EPH Classified		
	1 ea	SSS Stainless Steel Shelf, in lieu of standard painted steel		
	1 ea	SSE Stainless Steel Ends, in lieu of standard painted steel		
Weight: 632 lbs total				

** Pricing is for the renewal request of Bid # 25-27 Large Kitchen Equipment and will be held for the requested term (03/11/26 - 03/10/27) unless deemed necessary at a later date.

Acceptance: _____ Date: _____

Printed Name: _____