

Company:
SANTA ROSA CITY SCHOOLS



Proposal #26896

Requested By:
Adrian Bica
 Executive Director, Technology

Description:
DWDM Solution - FS Optics

| | | |
|--|---|---|
| Bill To: SANTA ROSA CITY SCHOOLS 211 RIDGWAY AVE ATTN PURCHASING SANTA ROSA, CA 95401-4320 | Ship To: SANTA ROSA CITY SCHOOLS 211 RIDGWAY AVE ATTN WAREHOUSE - CENTRAL RECEIVING SANTA ROSA, CA 95401-4320 | Sold To: SANTA ROSA CITY SCHOOLS 211 RIDGWAY AVE ATTN PURCHASING SANTA ROSA, CA 95401-4320 |
| Created: 12/20/2021 Expires: 1/20/2022 Version: 1 | Account Manager: jjones Systems Engineer: dlockwood | Terms & Conditions: This proposal is offered according to the terms and conditions of one or more CMAS schedules |

Product & Manufacturer Maintenance

| Line No | Qty | Product | SMARTnet | Unit Price | Ext'd Price | Tax |
|-------------------|-----|---|----------|------------|-------------|-----|
| DWDM OADMs | | | | | | |
| 2 | 2 | 70427 Customized Dual Fiber DWDM OADM Transmission Direction:West or East Channels:2CH Grid Channel:C21, C60 Connector:LC/UPC Housing:FMU Plug-in Module Special Service:Monitor Port | | 250.80 | 501.60 | T |
| 3 | 2 | 70427 Customized Dual Fiber DWDM OADM Transmission Direction:West or East Channels:2CH Grid Channel:C22, C60 Connector:LC/UPC Housing:FMU Plug-in Module Special Service:Monitor Port | | 250.80 | 501.60 | T |
| 4 | 2 | 70427 Customized Dual Fiber DWDM OADM Transmission Direction:West or East Channels:2CH Grid Channel:C23, C60 Connector:LC/UPC Housing:FMU Plug-in Module Special Service:Monitor Port | | 250.80 | 501.60 | T |
| | | 70427 Customized Dual Fiber DWDM OADM Transmission Direction:West or East Channels:2CH | | | | |

| | | | | | |
|----|----|---|----------|----------|---|
| | | Special Service:Monitor Port | | | |
| 21 | 2 | 70427 Customized Dual Fiber DWDM OADM Transmission Direction:West or East Channels:2CH Grid Channel:C40, C60 Connector:LC/UPC Housing:FMU Plug-in Module Special Service:Monitor Port | 250.80 | 501.60 | T |
| 22 | 2 | 70427 Customized Dual Fiber DWDM OADM Transmission Direction:West or East Channels:2CH Grid Channel:C41, C60 Connector:LC/UPC Housing:FMU Plug-in Module Special Service:Monitor Port | 250.80 | 501.60 | T |
| 23 | 2 | 35887 40 Channels 100GHz C21-C60, with 1310nm and Monitor Port, 3.5dB Typical IL, LC/UPC, Dual Fiber DWDM Mux Demux, 1U Rack Mount | 2,038.80 | 4,077.60 | T |
| 24 | 32 | 30408 FMU 2-Slot 1U 19â€³ Rack Chassis Unloaded, holds up to 2 Units FMU Plug-in Module | 66.00 | 2,112.00 | T |

DWDM SFP+

| | | | | | |
|----|---|--|--------|--------|---|
| 26 | 2 | 69611 Customized 10G DWDM SFP+ C17-C61 100GHz 80km DOM LC SMF Transceiver Module Compatible Brands:Cisco Operating Temperature:0 to 70Â°C (32 to 158Â°F) Wavelengths:C21 Label Service:Custom Label | 382.80 | 765.60 | T |
| 27 | 2 | 69611 Customized 10G DWDM SFP+ C17-C61 100GHz 80km DOM LC SMF Transceiver Module Compatible Brands:Cisco Operating Temperature:0 to 70Â°C (32 to 158Â°F) Wavelengths:C22 Label Service:Custom Label | 382.80 | 765.60 | T |
| 28 | 2 | 69611 Customized 10G DWDM SFP+ C17-C61 100GHz 80km DOM LC SMF Transceiver Module Compatible Brands:Cisco Operating Temperature:0 to 70Â°C (32 to 158Â°F) Wavelengths:C23 Label Service:Custom Label | 382.80 | 765.60 | T |
| 29 | 2 | 69611 Customized 10G DWDM SFP+ C17-C61 100GHz 80km DOM LC SMF Transceiver Module Compatible Brands:Cisco Operating Temperature:0 to 70Â°C (32 to 158Â°F) Wavelengths:C24 Label Service:Custom Label | 382.80 | 765.60 | T |
| 30 | 2 | 69611 Customized 10G DWDM SFP+ C17-C61 100GHz 80km DOM LC SMF Transceiver Module Compatible Brands:Cisco Operating Temperature:0 to 70Â°C (32 to 158Â°F) Wavelengths:C25 Label Service:Custom Label | 382.80 | 765.60 | T |
| | | 69611 | | | |

| | | |
|----|-----|--|
| | | Label Service:Custom Label |
| 40 | 2 | 69611 Customized 10G DWDM SFP+ C17-C61 100GHz 80km DOM LC SMF Transceiver Module Compatible Brands:Cisco Operating Temperature:0 to 70Â°C (32 to 158Â°F) Wavelengths:C35 Label Service:Custom Label |
| 41 | 2 | 69611 Customized 10G DWDM SFP+ C17-C61 100GHz 80km DOM LC SMF Transceiver Module Compatible Brands:Cisco Operating Temperature:0 to 70Â°C (32 to 158Â°F) Wavelengths:C36 Label Service:Custom Label |
| 42 | 2 | 69611 Customized 10G DWDM SFP+ C17-C61 100GHz 80km DOM LC SMF Transceiver Module Compatible Brands:Cisco Operating Temperature:0 to 70Â°C (32 to 158Â°F) Wavelengths:C37 Label Service:Custom Label |
| 43 | 2 | 69611 Customized 10G DWDM SFP+ C17-C61 100GHz 80km DOM LC SMF Transceiver Module Compatible Brands:Cisco Operating Temperature:0 to 70Â°C (32 to 158Â°F) Wavelengths:C38 Label Service:Custom Label |
| 44 | 2 | 69611 Customized 10G DWDM SFP+ C17-C61 100GHz 80km DOM LC SMF Transceiver Module Compatible Brands:Cisco Operating Temperature:0 to 70Â°C (32 to 158Â°F) Wavelengths:C39 Label Service:Custom Label |
| 45 | 2 | 69611 Customized 10G DWDM SFP+ C17-C61 100GHz 80km DOM LC SMF Transceiver Module Compatible Brands:Cisco Operating Temperature:0 to 70Â°C (32 to 158Â°F) Wavelengths:C40 Label Service:Custom Label |
| 46 | 2 | 69611 Customized 10G DWDM SFP+ C17-C61 100GHz 80km DOM LC SMF Transceiver Module Compatible Brands:Cisco Operating Temperature:0 to 70Â°C (32 to 158Â°F) Wavelengths:C41 Label Service:Custom Label |
| 47 | 44 | 48341 Cisco C60 DWDM-SFP10G-29.55 Compatible 10G DWDM SFP+ 1529.55nm 40km DOM LC SMF Transceiver Module |
| 48 | 132 | 40192 2m (7ft) LC UPC to LC UPC Duplex OS2 Single Mode PVC (OFNR) 2.0mm Fiber Optic Patch Cable |
| 49 | 5 | 70008 LC/UPC Singlemode Fixed Fiber Optic Attenuator, Male-Female, 3dB (10pcs/Pack) |
| 50 | 5 | 70009 LC/UPC Singlemode Fixed Fiber Optic Attenuator, Male-Female, 5dB (10pcs/Pack) |

| | | | | |
|--|--|--------|-----------|---|
| | | | | |
| | | 382.80 | 765.60 | T |
| | | 382.80 | 765.60 | T |
| | | 382.80 | 765.60 | T |
| | | 382.80 | 765.60 | T |
| | | 382.80 | 765.60 | T |
| | | 382.80 | 765.60 | T |
| | | 382.80 | 765.60 | T |
| | | 382.80 | 16,843.20 | T |
| | | 5.64 | 744.48 | T |
| | | 38.40 | 192.00 | T |
| | | 38.40 | 192.00 | T |

| | | | | | |
|----|---|---|--------|--------|---|
| 51 | 5 | 72630 LC/UPC Singlemode Fixed Fiber Optic Attenuator, Male-Female, 7dB (10pcs/Pack) | 38.40 | 192.00 | T |
| 52 | 4 | 39721 NEOCLEAN-E LC/MU 1.25mm Pen One-Push Cleaner (750+ Times) | 75.60 | 302.40 | T |
| 53 | 2 | NWSLC2-7Y Panduit NWSLC2-7Y LabelCore Sleeve, White 100 | 169.94 | 339.88 | T |
| 54 | 2 | S100X225VAC Panduit S100X225VAC Self-Laminating Cassette 1 | 68.61 | 137.22 | T |

| | | | | | |
|---|--|--|-----------------------------|---------------------|--|
| <p>Need more time to get important stuff done? Ask us about</p>  | | | Subtotal | \$51,743.98 | |
| | | | Handling | \$0.00 | |
| | | | Estimated Sales Tax (9.25%) | \$4,786.32 | |
| | | | SMARTnet | \$0.00 | |
| | | | Professional Services | \$139,085.53 | |
| | | | Shipping | \$0.00 | |
| | | | Total | \$195,615.83 | |

Company:
SANTA ROSA CITY SCHOOLS

Requested By:
Adrian Bica
Executive Director, Technology

Description:
DWDM Solution - FS Optics



Proposal #26896

Proposal Notes

CMAS:

CMAS Contract No.: 3-19-70-2686Y

CMAS Contract Term: through July 31, 2023

Base GSA Schedule No.: GS-35F-0505U

School Site x21

- Install ADM into rack
- Install optics in switch; port 1 (1310), port 2 (DWDM)
- Clean all connectors
- Connect ADM to LIU /w patch cord
- Connect switch to ADM (2x)
- Label ADM/LIU patch cord; both ends
- Label ADM/switch; both ends
- Labeling standard; ANSI/TIA-606-B, DWDM channel, hub site name
- Test span loss performance, TX/RX
- Install attenuation as required

Hub Site x2

- Install ADMs into rack
- Install optics in switch
- Clean all connectors
- Connect ADM to LIU /w patch cord (1310nm)
- Connect switch to ADM

- Label ADM/LIU patch cord; both ends
- Label ADM/switch; both ends
- Labeling standard; ANSI/TIA-606-B, DWDM channel, hub site name
- Test span loss performance, TX/RX
- Install attenuation as required
- Install DWDM mux into rack
- Connect DWDM mux to LIU /w patch cord
- Connect DWDM mux to switch
- Label DWDM mux/LIU patch cord; both ends
- Label DWDM mux/switch; both ends

Configuration

- Configure OSPF
- Configure description on all interfaces
- Rediscover monitored devices; verify monitoring
- Configure default route preference per customer specifications

California Multiple Award Schedule (CMAS) Contract Number(s)

Company:
SANTA ROSA CITY SCHOOLS

Requested By:
Adrian Bica
Executive Director, Technology

Description:
DWDM Solution - FS Optics



Proposal #26896

About Sales Tax

Items sold by Development Group, Inc. and shipped to destinations in California and Nevada are subject to sales tax.

If an item is subject to sales tax in the state to which the order is shipped, tax is generally calculated on the total selling price of each individual item. In accordance with state tax laws, the total selling price of an order will generally include shipping and handling charges and item-level discounts. The amount of tax charged on your order will depend upon many factors including, but not limited to, the type of item(s) purchased, and the source and destination of the shipment. Factors can change between the time you place an order and the time and invoice is sent, which could affect the calculation of sales taxes. The amount appearing on your proposal as 'Estimated Sales Tax' may differ from the sales taxes ultimately charged.

About Product Returns

Consistent with the terms and conditions of the California Multiple Award Schedules (CMAS) General Provisions for Information Technology, you are required to provide written notice of rejection of products delivered or services performed within a reasonable time after receipt of such products or the performance of such services. Such notice of rejection is required to state the respect in which the products do not substantially conform to your specifications. If you do not provide such notice of rejection within FIFTEEN (15) days of delivery for purchases of Commercial Hardware or Commercial Software or THIRTY (30) days of delivery for all other purchases, such products and services will be deemed to have been accepted. Your acceptance will be final and irreversible, except as it relates to latent defects, fraud, or gross mistakes amounting to fraud.

Company & Payment Information

Mailing Address

Development Group, Inc.
PO Box 991484
Redding, CA 96099-1484

Phone: (530) 229-0071
Fax: (530) 248-3415

Payment Information

Development Group, Inc.
32880 Collections Center Dr
Chicago, IL 60693

Federal Tax ID: 26-3740919

Note: All wire transfers must be made in US Dollars

Office Locations

Development Group, Inc.
6704 Lockheed Dr
Redding, CA 96002

Wire Transfer Information

Domestic Wire Transfer (U.S.)
Wire Routing Transit Number (RTN): 026009593
Bank Name: Bank of America
City, State: Chicago, IL
Account Number: 8188065595
Title of Account: DEVELOPMENT GROUP INC

ACH Information

ACH Transfer (U.S.)
Routing Transit Number (RTN): 071000039
Bank Name: Bank of America
City, State: Chicago, IL
Account Number: 8188065595
Title of Account: DEVELOPMENT GROUP INC